

Title (en)

KEY FOR OPERATING A LOCK WITH ENHANCED IMPACT RESISTANCE

Title (de)

SCHLÜSSEL ZUR BETÄTIGUNG EINES SCHLOSSES MIT VERBESSERTER SCHLAGFESTIGKEIT

Title (fr)

CLE D'ACTIONNEMENT D'UNE SERRURE A RESISTANCE AUX CHOCS AMELIOREE

Publication

EP 2179115 A1 20100428 (FR)

Application

EP 08784909 A 20080721

Priority

- EP 2008005942 W 20080721
- FR 0705508 A 20070727

Abstract (en)

[origin: WO2009015794A1] Key (1) having an end (6) fixed to an endpiece (7) mounted in a casing (2) so as to rotate about a pivot axis (11) between a key-retracted position inside the casing and a key-extended position, and a control button (17) mounted in a housing (10) in the endpiece so as to pivot with the latter and slide between a position in which it keeps the endpiece at least in the retracted position and a position in which it releases the endpiece, allowing it to pivot, the control button comprising at least one lug (24) which fits in a groove (12) in the housing, the groove comprising an entrance portion opening at a first end onto an outer face (8) of the endpiece and opening at a second end into a terminal portion with which it forms an angle, and the terminal portion extending along the pivot axis.

IPC 8 full level

E05B 19/04 (2006.01)

CPC (source: EP US)

E05B 19/043 (2013.01 - EP US); **Y10T 70/7876** (2015.04 - EP US); **Y10T 70/80** (2015.04 - EP US); **Y10T 70/8676** (2015.04 - EP US); **Y10T 70/8757** (2015.04 - EP US)

Citation (search report)

See references of WO 2009015794A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA MK RS

DOCDB simple family (publication)

FR 2919327 A1 20090130; CN 101772610 A 20100707; CN 101772610 B 20130403; EP 2179115 A1 20100428; EP 2179115 B1 20131113; ES 2444417 T3 20140225; US 2010206028 A1 20100819; US 8266936 B2 20120918; WO 2009015794 A1 20090205

DOCDB simple family (application)

FR 0705508 A 20070727; CN 200880100493 A 20080721; EP 08784909 A 20080721; EP 2008005942 W 20080721; ES 08784909 T 20080721; US 67096008 A 20080721