

Title (en)

CUP SEAL AND MASTER CYLINDER USING THE SAME

Title (de)

DICHTMANSCHETTE UND DIESE VERWENDENDER HAUPTZYLINDER

Title (fr)

JOINT CALOTTE ET MAÎTRE-CYLINDRE L'UTILISANT

Publication

EP 2192011 A1 20100602 (EN)

Application

EP 08703747 A 20080117

Priority

- JP 2008050917 W 20080117
- JP 2007209957 A 20070810

Abstract (en)

A cup seal (21) of the invention includes an intermediate lip portion (21d), positioned between an inner lip portion (21b) and an outer lip portion (21c), provided in a base portion (21a). The intermediate lip portion (21d) is configured in such a way that first intermediate lip portions (21d 1), communication passages (21d 3), second intermediate lip portions (21d 2), whose axial direction length is less than that of the first intermediate lip portions (21d 1), and the communication passages (21d 3), which have no lip portion, are cyclically disposed, in this order, in the peripheral direction. An easy elastic deformation portion of the base portion (21a) which elastically deforms easily is formed by the second intermediate lip portions (21d 2) and communication passages (21d 3) and, by the easy elastic deformation portion elastically deforming easily when supplying liquid, a flow passage with a larger passage area is formed.

IPC 8 full level

B60T 11/16 (2006.01); **B60T 11/20** (2006.01); **B60T 11/228** (2006.01); **B60T 11/236** (2006.01); **F16J 15/00** (2006.01); **F16J 15/18** (2006.01)

CPC (source: EP US)

B60T 11/236 (2013.01 - EP US); **F16J 15/3236** (2013.01 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA MK RS

DOCDB simple family (publication)

EP 2192011 A1 20100602; **EP 2192011 A4 20110727**; **EP 2192011 B1 20130403**; CN 101808869 A 20100818; CN 101808869 B 20130619; JP 2009040346 A 20090226; JP 5112784 B2 20130109; US 2011209472 A1 20110901; US 8578710 B2 20131112; WO 2009022476 A1 20090219

DOCDB simple family (application)

EP 08703747 A 20080117; CN 200880102909 A 20080117; JP 2007209957 A 20070810; JP 2008050917 W 20080117; US 67270708 A 20080117