

Title (en)
ROTARY FLUID MACHINE

Title (de)
ROTATIONSSTRÖMUNGSMASCHINE

Title (fr)
MACHINE ROTATIVE À FLUIDE

Publication
EP 2196677 A1 20100616 (EN)

Application
EP 08831266 A 20080912

Priority
• JP 2008002532 W 20080912
• JP 2007238846 A 20070914

Abstract (en)
In a compressor (1) in which compression mechanisms (20, 50) including cylinders (21, 51) with annular cylinder chambers (C1, C2, C3, C4), and annular pistons (22, 52) eccentrically accommodated in the cylinder chambers (C1, C2, C3, C4) are stacked in two tiers, the annular pistons (22, 52) eccentrically rotate with respect to the cylinders (21, 51), and the both piston mechanisms (20, 50) are arranged so as to cause a phase difference in which a swing moment caused in response to an eccentric rotation of the first compression mechanism (20) and a swing moment caused in response to an eccentric rotation of the second compression mechanism (50) cancel out each other. Thus, vibration due to the swing moments caused in the compression mechanisms (20, 50) can be reduced.

IPC 8 full level
F04C 23/00 (2006.01); **F01C 21/08** (2006.01); **F04C 18/04** (2006.01); **F04C 18/32** (2006.01); **F04C 18/356** (2006.01); **F04C 29/00** (2006.01)

CPC (source: EP)
F04C 18/045 (2013.01); **F04C 18/32** (2013.01); **F04C 23/001** (2013.01); **F04C 23/008** (2013.01); **F04C 29/0021** (2013.01); **F01C 21/08** (2013.01);
F04C 18/356 (2013.01); **F04C 2270/12** (2013.01)

Cited by
CN111005871A

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA MK RS

DOCDB simple family (publication)
EP 2196677 A1 20100616; EP 2196677 A4 20150114; JP 2009085216 A 20090423; JP 4438886 B2 20100324; WO 2009034717 A1 20090319

DOCDB simple family (application)
EP 08831266 A 20080912; JP 2008002532 W 20080912; JP 2008234824 A 20080912