

Title (en)
ELECTRICAL CONNECTION TERMINAL

Title (de)
ELEKTRISCHE ANSCHLUSSKLEMME

Title (fr)
BORNE DE CONNEXION ÉLECTRIQUE

Publication
EP 2201647 B1 20110720 (FR)

Application
EP 08839764 A 20081014

Priority
• EP 2008063805 W 20081014
• FR 0707214 A 20071015

Abstract (en)
[origin: WO2009050170A1] The invention relates to an electrical connection assembly (100) comprising: a conducting plate (102), pierced by a drillhole (104), and a small column (106) which is penetrated axially by a hole (114) and comprise a shoulder (110) intended to butt against the conducting plate (102), and a cylinder (108), the radius of which is adapted so as to allow it to penetrate the drillhole (104) and the length of which is such that, when the shoulder (110) is in abutment, the free end of the cylinder (108) extends beyond the conducting plate (102), the connection assembly (100) being characterized in that the free end of the cylinder (108) is crimped by radial expansion and then by axial compression.

IPC 8 full level
H01R 4/58 (2006.01)

CPC (source: EP US)
H01R 4/10 (2013.01 - EP US); **H01R 43/04** (2013.01 - EP US); **Y10T 29/49218** (2015.01 - US); **Y10T 29/5327** (2015.01 - US)

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)
FR 2922370 A1 20090417; FR 2922370 B1 20091120; AT E517451 T1 20110815; CN 101971425 A 20110209; CN 101971425 B 20130410; EP 2201647 A1 20100630; EP 2201647 B1 20110720; ES 2370186 T3 20111213; JP 2011501354 A 20110106; JP 2013258154 A 20131226; JP 5337808 B2 20131106; JP 5722397 B2 20150520; US 2010243322 A1 20100930; US 8526195 B2 20130903; WO 2009050170 A1 20090423

DOCDB simple family (application)
FR 0707214 A 20071015; AT 08839764 T 20081014; CN 200880111632 A 20081014; EP 08839764 A 20081014; EP 2008063805 W 20081014; ES 08839764 T 20081014; JP 2010529356 A 20081014; JP 2013162220 A 20130805; US 73417608 A 20081014