

Title (en)
ATR PROBE

Title (de)
ATR-SONDE

Title (fr)
SONDE ATR

Publication
EP 2217912 A2 20100818 (DE)

Application
EP 08856785 A 20081202

Priority
• EP 2008066656 W 20081202
• DE 102007058611 A 20071204

Abstract (en)
[origin: WO2009071557A2] An ATR probe comprises a monolithic ATR body (2) comprising a surface segment (24) that can be impacted by a medium; a fiber optic transmitter arrangement (1) for irradiating non-collimated light into the ATR body (2); a fiber optic receiving arrangement for receiving the irradiated light after passing through the ATR body, wherein the light passing through the ATR body comprises at least two total reflections on a surface (24) contacting the media, characterized in that the surface area of the fiber optic receiving arrangement for receiving the light exiting the ATR body is greater than the surface area of the fiber optic transmitting arrangement for irradiating the light into the ATR body. The ATR body (2) preferably comprises at least one segment having a conical or truncated conical surface (24), and the truncated conical surface can be impacted at least partially by the medium.

IPC 8 full level
G01N 21/55 (2006.01)

CPC (source: EP US)
G01N 21/552 (2013.01 - EP US); **G01N 21/8507** (2013.01 - EP US); **G01N 2021/434** (2013.01 - EP US); **G01N 2201/08** (2013.01 - EP US)

Citation (search report)
See references of WO 2009071557A2

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA MK RS

DOCDB simple family (publication)
DE 102007058611 A1 20090610; CN 101889195 A 20101117; CN 101889195 B 20130522; EP 2217912 A2 20100818;
US 2010303413 A1 20101202; WO 2009071557 A2 20090611; WO 2009071557 A3 20091015

DOCDB simple family (application)
DE 102007058611 A 20071204; CN 200880119157 A 20081202; EP 08856785 A 20081202; EP 2008066656 W 20081202;
US 73484508 A 20081202