

Title (en)
CYLINDER HEAD COVER

Title (de)
ZYLINDERKOPFHAUBE

Title (fr)
COUVERCLE DE CULASSE

Publication
EP 2225452 A1 20100908 (DE)

Application
EP 08866659 A 20081020

Priority
• EP 2008064114 W 20081020
• DE 102007063254 A 20071231

Abstract (en)
[origin: WO2009083287A1] The present invention relates to a cylinder head cover (1) comprising a bearing device (2) for bearing a camshaft (3), wherein the bearing device (2) has at least two bearing blocks (4), which bear the camshaft (3), and a connecting element (5), the bearing blocks (4) are axially penetrated in a first through-opening (6) by the camshaft (3) to be borne and are fixed in an aligned position with respect to one another by means of the connecting element (5), and the bearing blocks (4), together with the connecting element (5) and the camshaft (3), form a zn assembly which can be prefabricated and mounted, together with the cylinder head cover (1), on the cylinder head.

IPC 8 full level
F02F 7/00 (2006.01); **F01L 1/053** (2006.01)

CPC (source: EP US)
F01L 1/053 (2013.01 - EP US); **F01L 1/46** (2013.01 - EP US); **F02F 7/006** (2013.01 - EP US); **F01L 2001/0476** (2013.01 - EP US); **F01L 2001/0535** (2013.01 - EP US); **F01L 2301/00** (2020.05 - EP US); **F01L 2303/00** (2020.05 - EP US)

Citation (search report)
See references of WO 2009083287A1

Cited by
DE102017213684A1; WO2019029963A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA MK RS

DOCDB simple family (publication)
DE 102007063254 A1 20090702; CN 101918694 A 20101215; CN 101918694 B 20121114; EP 2225452 A1 20100908; EP 2225452 B1 20160928; JP 2011508160 A 20110310; JP 5342564 B2 20131113; US 2011005490 A1 20110113; US 9175636 B2 20151103; WO 2009083287 A1 20090709

DOCDB simple family (application)
DE 102007063254 A 20071231; CN 200880123522 A 20081020; EP 08866659 A 20081020; EP 2008064114 W 20081020; JP 2010541038 A 20081020; US 81071308 A 20081020