

Title (en)

SEGMENTED DECOMPRESSION RESISTANT CABLE SPLICE AND METHOD OF INSTALLATION

Title (de)

SEGMENTIERTE DEKOMPRIMIERUNGRESISTENTE KABELVERBINDUNG UND INSTALLATIONSVERFAHREN

Title (fr)

JONCTION DE CÂBLES SEGMENTÉE RÉSISTANT À LA DÉCOMPRESSION ET PROCÉDÉ D'INSTALLATION

Publication

EP 2238649 B1 20190619 (EN)

Application

EP 09705580 A 20090202

Priority

- US 2009032853 W 20090202
- US 2532808 P 20080201

Abstract (en)

[origin: WO2009097609A1] An electrical splice, resistant to decompression failure for use in gassy hydrocarbon wells, is segmented thereby permitting the installation of the splice quickly and efficiently. The segmented cable splice provides a passage into which is inserted an electrical crimping union which provides a detent to engage a ridge on the interior passage of the segmented sleeve. When each sleeve is complete, the exterior surface of the complete splice is either cylindrical or flat; and covered by protective transition covers having epoxy encapsulating each contained conductor line back to the armored cover, thereby providing mechanical protection and inhibiting movement of the spliced conductors within the splice connection.

IPC 8 full level

H01R 4/18 (2006.01); **H01R 4/70** (2006.01); **H02G 15/117** (2006.01); **H02G 15/24** (2006.01)

CPC (source: EP US)

H01R 4/183 (2013.01 - EP US); **H01R 4/70** (2013.01 - EP US); **H02G 15/117** (2013.01 - EP US); **H02G 15/24** (2013.01 - EP US);
Y10T 29/49199 (2015.01 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)

WO 2009097609 A1 20090806; CA 2713405 A1 20090806; CA 2713405 C 20140415; EP 2238649 A1 20101013; EP 2238649 A4 20130807;
EP 2238649 B1 20190619; US 2010326725 A1 20101230; US 8367931 B2 20130205

DOCDB simple family (application)

US 2009032853 W 20090202; CA 2713405 A 20090202; EP 09705580 A 20090202; US 86568409 A 20090202