

Title (en)

METHOD FOR AVOIDING AND/OR REDUCING POLLUTANT PERCENTAGES IN THE EXHAUST GAS OF AN INTERNAL COMBUSTION ENGINE

Title (de)

VERFAHREN ZUR VERMEIDUNG UND/ODER ZUM VERRINGERN VON SCHADSTOFFANTEILEN IM ABGAS EINER VERBRENNUNGSMASCHINE

Title (fr)

PROCÉDÉ POUR ÉVITER ET/OU POUR RÉDUIRE LES PARTS DE SUBSTANCES NOCIVES DANS LES GAZ D'ÉCHAPPEMENT D'UN MOTEUR À COMBUSTION INTERNE

Publication

EP 2245294 B1 20140611 (DE)

Application

EP 08867324 A 20081219

Priority

- EP 2008010954 W 20081219
- DE 102007063064 A 20071221

Abstract (en)

[origin: WO2009083195A1] The invention relates to a method and a device for avoiding and/or reducing pollutant percentages in the exhaust gas of an internal combustion engine. The invention provides that electromagnetic signals of more than two predetermined frequencies are applied to the fuel before entering the combustion chamber, wherein the signals are above the hearing spectrum (0 to 20 kHz) and the signals are emitted via a transfer module, wherein the transfer module is accommodated in a fuel treatment unit (20) that has both a fuel supply line (12) and a fuel discharge line.

IPC 8 full level

F02M 27/04 (2006.01)

CPC (source: EP US)

F02M 27/04 (2013.01 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)

DE 102007063064 A1 20090625; CY 1115432 T1 20170104; DK 2245294 T3 20140707; EP 2245294 A1 20101103; EP 2245294 B1 20140611; EP 2245294 B8 20141210; ES 2492669 T3 20140910; HK 1150204 A1 20111111; HR P20140835 T1 20141010; JP 2011506834 A 20110303; JP 5334988 B2 20131106; PL 2245294 T3 20141128; PT 2245294 E 20140717; SI 2245294 T1 20140930; US 2011011374 A1 20110120; US 8479713 B2 20130709; WO 2009083195 A1 20090709

DOCDB simple family (application)

DE 102007063064 A 20071221; CY 141100607 T 20140806; DK 08867324 T 20081219; EP 08867324 A 20081219; EP 2008010954 W 20081219; ES 08867324 T 20081219; HK 11104352 A 20110503; HR P20140835 T 20140904; JP 2010538484 A 20081219; PL 08867324 T 20081219; PT 08867324 T 20081219; SI 200831264 T 20081219; US 81000508 A 20081219