

Title (en)  
**SECURITY LABEL**

Title (de)  
**SICHERHEITSETIKETT**

Title (fr)  
**ÉTIQUETTE DE SÉCURITÉ**

Publication  
**EP 2265509 B1 20130710 (DE)**

Application  
**EP 09719044 A 20090302**

Priority  
• EP 2009052444 W 20090302  
• DE 102008013690 A 20080311

Abstract (en)  
[origin: WO2009112390A1] The invention relates to a security label (1) for use as initial opening verification having a carrier (4), wherein said carrier has at least one first layer A and one second layer B, and having an adhesive layer (3) for application on an object (2) to be secured, wherein said adhesive layer is disposed below said carrier, wherein a marker is provided, which irreversibly indicates a removal attempt from the object, and wherein said security label is implemented so it can be stretched. It is proposed that the two layers A, B have tension sets which differ from one another, the security label is three-dimensionally deformed after stretching and subsequent relaxation, and the deformation implements the marker.

IPC 8 full level  
**B65D 55/02** (2006.01)

CPC (source: EP)  
**B65D 55/026** (2013.01); **G09F 3/0292** (2013.01); **B65D 2401/05** (2020.05)

Designated contracting state (EPC)  
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)  
**DE 102008013690 A1 20090917**; EP 2265509 A1 20101229; EP 2265509 B1 20130710; WO 2009112390 A1 20090917

DOCDB simple family (application)  
**DE 102008013690 A 20080311**; EP 09719044 A 20090302; EP 2009052444 W 20090302