

Title (en)
COLD APPLIANCE

Title (de)
KÄLTEGERÄT

Title (fr)
APPAREIL DE FROID

Publication
EP 2300766 A1 20110330 (EN)

Application
EP 09749618 A 20090519

Priority
• EP 2009003580 W 20090519
• SE 0801201 A 20080523

Abstract (en)
[origin: WO2009141128A1] A cold appliance comprising a cabinet (101) comprising two opposite side wall panels (1), a rear wall panel (4), a top part (2), a bottom part (103), and a door (6). Each panel comprises an inner sheet (9), an outer sheet (8) and an intermediary layer (17) of a foamed insulating material. Each cabinet panel has an inner surface, an outer surface, and four edge surfaces, wherein the side wall panels, the rear wall panel, the top part, and the bottom part are assembled to form a cold compartment (104), which is closable with the door. The cold appliance (100) further comprises a profiled bar (23), mounted at an edge surface (16) at a front frame portion of the cabinet.

IPC 8 full level
F25D 23/08 (2006.01); **F25D 21/04** (2006.01); **F25D 23/06** (2006.01)

CPC (source: EP US)
F25D 23/085 (2013.01 - EP US); **F25D 21/04** (2013.01 - EP US); **F25D 23/063** (2013.01 - EP US)

Citation (search report)
See references of WO 2009141128A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK TR

Designated extension state (EPC)
AL BA RS

DOCDB simple family (publication)
WO 2009141128 A1 20091126; AU 2009250075 A1 20091126; BR PI0912969 A2 20151013; CN 102037303 A 20110427; EP 2300766 A1 20110330; KR 20110029135 A 20110322; US 2011126569 A1 20110602

DOCDB simple family (application)
EP 2009003580 W 20090519; AU 2009250075 A 20090519; BR PI0912969 A 20090519; CN 200980118641 A 20090519; EP 09749618 A 20090519; KR 20107029029 A 20090519; US 99214209 A 20090519