

Title (en)  
RIGHTING MOMENT RECOVERY APPARATUS FOR MARINE VESSEL, AND AUTOMOBILE CARRYING VESSEL EQUIPPED WITH THE SAME

Title (de)  
VORRICHTUNG ZUR WIEDERHERSTELLUNG EINES AUFRICHTENDEN MOMENTS FÜR EIN SCHIFF UND DAMIT AUSGESTATTETES KRAFTFAHRZEUGE BEFÖRDERNDEN SCHIFF

Title (fr)  
APPAREIL DE RÉTABLISSEMENT DU MOMENT DE REDRESSEMENT POUR NAVIRE, ET NAVIRE DE TRANSPORT D'AUTOMOBILES ÉQUIPÉ DE CE DERNIER

Publication  
**EP 2305555 B1 20181003 (EN)**

Application  
**EP 08826096 A 20080812**

Priority  
JP 2008064445 W 20080812

Abstract (en)  
[origin: EP2305555A1] [Object] Conventionally, measures for securing stability of a ship when it is damaged are required. [Solution] The invention is characterized by having a remotely openable seawater inlet means provided to a lowermost watertight deck that forms a void space at the bottom of the ship. Thereby, when a side shell plate or the like of the ship is damaged and seawater enters the ship, the seawater that has entered the ship can be introduced into the void space by opening the seawater inlet means provided to the lowermost watertight deck, so that the void space, which usually provides a huge auxiliary buoyancy, can be made to function as a sort of a seawater ballast tank, whereby the ship's stability can be recovered.

IPC 8 full level  
**B63B 43/06** (2006.01); **B63B 3/62** (2006.01); **B63B 13/00** (2006.01); **B63B 35/00** (2006.01); **B63B 43/04** (2006.01); **B63B 43/24** (2006.01);  
**B63B 43/32** (2006.01)

CPC (source: EP NO)  
**B63B 35/54** (2013.01 - EP); **B63B 43/045** (2013.01 - EP NO); **B63B 43/24** (2013.01 - EP)

Citation (examination)  
US 5460726 A 19951024 - BEYROUTY LOUIS [US]

Designated contracting state (EPC)  
DE ES IT NL

DOCDB simple family (publication)  
**EP 2305555 A1 20110406; EP 2305555 A4 20170111; EP 2305555 B1 20181003**; CN 101743161 A 20100616; CN 101743161 B 20130904;  
ES 2701428 T3 20190222; NO 20090168 L 20090216; NO 20160708 A1 20160427; NO 340037 B1 20170306; WO 2010018618 A1 20100218

DOCDB simple family (application)  
**EP 08826096 A 20080812**; CN 200880000364 A 20080812; ES 08826096 T 20080812; JP 2008064445 W 20080812; NO 20090168 A 20090112;  
NO 20160708 A 20160427