

Title (en)
A switching device

Title (de)
Schaltvorrichtung

Title (fr)
Dispositif de commutation

Publication
EP 2306480 A3 20120829 (EN)

Application
EP 10354046 A 20100908

Priority
SG 2009065947 A 20090930

Abstract (en)
[origin: EP2306480A2] The present invention is directed to a switching device (100) operable between different setpoints for changing the state of operations of an electrical system comprising a housing (104) with a recess (110) formed on an inner perimeter surface of said housing (104) at any set-point of the switching device (100). The knob (116) is disposed within the housing (104), said knob (106) includes a latch (108) and a latch triggering mechanism, said latch (108) is selectively releasable from the knob (106) by the latch triggering mechanism to engage into or from the recess (110) for locking or unlocking the switching device (100). The knob (106) further includes a handle (102) adapted for displacement between a resting position and an elevated position for controlling the latch triggering mechanism.

IPC 8 full level
H01H 3/20 (2006.01); **H01H 9/28** (2006.01)

CPC (source: EP)
H01H 3/20 (2013.01); **H01H 9/282** (2013.01); **H01H 3/10** (2013.01)

Citation (search report)
• [XI] JP 2004355923 A 20041216 - MATSUSHITA ELECTRIC WORKS LTD
• [XA] EP 1729313 A1 20061206 - SCHNEIDER ELECTRIC IND SAS [FR]
• [XA] DE 19603238 C1 19970410 - KLOECKNER MOELLER GMBH [DE]
• [X] US 2003010613 A1 20030116 - QUAPIL OLAF [DE]

Cited by
US10892113B2

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

Designated extension state (EPC)
BA ME RS

DOCDB simple family (publication)
EP 2306480 A2 20110406; EP 2306480 A3 20120829; EP 2306480 B1 20160907; CN 102034636 A 20110427; CN 102034636 B 20150422;
SG 169917 A1 20110429

DOCDB simple family (application)
EP 10354046 A 20100908; CN 201010297891 A 20100928; SG 2009065947 A 20090930