

Title (en)
Stitch cam device

Title (de)
Stickschlossvorrichtung

Title (fr)
Dispositif à came de tricotage

Publication
EP 2341172 B1 20140625 (EN)

Application
EP 10016142 A 20101228

Priority
JP 2009299269 A 20091229

Abstract (en)
[origin: EP2341172A1] [Object] To provide a stitch cam device that has hardly any effect on the function of a stitch density deciding part or a stabilized cam face even when the magnitude of the pull-down angle θ_1 is varied. [Means to Solve] A rotating cam (11) can vary the pull-down angles (θ_1 and θ_2) as the tilting angle of the pull-down cam face (11a). The guide member (13) guides the rotation cam (11) to rotate around the rotation center (11b) installed inside the stitch density deciding part (12e). Since there is no need of installing a shaft to the rotation center (11b), the arc of the stitch density deciding part (12) can be reduced. The pull-down angle (θ_1) of the stitch cam device (10) on the right side with a large pull-down length of the slide cam (12) is larger than the pull-down angle (θ_2) of the stitch cam device (10) on the left side with the small pull-down length of the slide cam (12), and therefore, a stitch is able to be formed under more suitable conditions according to the stitch density value. Even when pull-down angles (θ_1 and θ_2) vary, the stitch density deciding part (12e) and the stabilized cam face (12a) provided in the slide cam (12) do not vary angles, and the effect of change of pull-down angles (θ_1 and θ_2) to the stability of knitted stitches can be avoided.

IPC 8 full level
D04B 15/32 (2006.01); **D04B 15/36** (2006.01)

CPC (source: EP)
D04B 15/327 (2013.01)

Cited by
CN107541852A; CN104562413A; CN104928835A

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
EP 2341172 A1 20110706; EP 2341172 B1 20140625; CN 102108594 A 20110629; CN 102108594 B 20140709; JP 2011137270 A 20110714; JP 5286249 B2 20130911

DOCDB simple family (application)
EP 10016142 A 20101228; CN 201010610725 A 20101229; JP 2009299269 A 20091229