

Title (en)
COUPLER WITH COUPLING STATUS SENSORS

Title (de)
KOPPLER MIT KOPPELSTATUSSENSOREN

Title (fr)
COUPLEUR AVEC CAPTEURS D'ÉTAT DE COUPLAGE

Publication
EP 2350396 A1 20110803 (EN)

Application
EP 09753174 A 20091103

Priority
• GB 2009002602 W 20091103
• GB 0820116 A 20081103

Abstract (en)
[origin: GB2464988A] An excavator coupler 24 comprises a first jaw 30 that points in a generally longitudinal direction relative to the frame of the coupler 24 and is for receiving a first attachment pin of an accessory (28 fig. 1) and has a first sensor 40 for detecting the presence of an attachment pin therein. The coupler 24 may have a second jaw 32 or a latch 34, longitudinally spaced from the first jaw 30, for receiving a second attachment pin of the accessory (28 fig. 1), and having a second sensor 42 for detecting the presence of an attachment pin therein. The sensors 40, 42 transmit or send signals to a receiver 46, 48 for notifying the driver of the coupling status of the coupler 24 with respect to the accessory (28 fig. 1) e.g. by means of one or more coloured lights. An actuator for the latch 34 in the form of an hydraulic ram 36 may include a sensor 44 for detecting hydraulic pressure within the ram 36. The signals may be sent wirelessly. The sensors may be one or a combination of a strain sensor, a push to make switch of magnetic sensor, an optical sensor or a capacitance sensor. A work tool recognition system sensor may be provided.

IPC 8 full level
E02F 3/36 (2006.01); **E02F 9/24** (2006.01)

CPC (source: EP GB US)
E02F 3/3609 (2013.01 - GB); **E02F 3/365** (2013.01 - EP US); **E02F 3/3663** (2013.01 - EP US); **E02F 9/26** (2013.01 - EP US);
Y10T 403/20 (2015.01 - EP US)

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

DOCDB simple family (publication)
GB 0820116 D0 20081210; **GB 2464988 A 20100505**; **GB 2464988 B 20130130**; **GB 2464988 B8 20130220**; CN 102224303 A 20111019;
CN 102224303 B 20140514; EP 2350396 A1 20110803; US 2011313625 A1 201111222; WO 2010061165 A1 20100603

DOCDB simple family (application)
GB 0820116 A 20081103; CN 200980144237 A 20091103; EP 09753174 A 20091103; GB 2009002602 W 20091103;
US 200913127059 A 20091103