

Title (en)

SKATE SHOE APPARATUS AND METHOD OF MANUFACTURE

Title (de)

SCHLITTSCHUHVORRICHTUNG UND HERSTELLUNGSVERFAHREN

Title (fr)

APPAREIL POUR CHAUSSURE DE PATINAGE ET PROCÉDÉ DE FABRICATION

Publication

EP 2373387 A4 20150311 (EN)

Application

EP 09828252 A 20091119

Priority

- US 2009065218 W 20091119
- US 19985808 P 20081121

Abstract (en)

[origin: WO2010059877A1] A skate shoe apparatus may be used with a skate (e.g., an ice skate, a traditional roller skate or an inline skate) to provide a walking surface for a skater resembling that of a shoe or boot. The skate shoe apparatus includes a channel to receive a lower travel surface of a skate and support members to provide support (e.g., lateral support) for the skate and distribute lateral forces produced by the skate across the skate shoe apparatus. Additionally, the skate shoe apparatus prevents damage to the travel surface of a skate and increased safety when a skater wearing the skate walks on non-skating surfaces (e.g., walking in ice skates from a dressing area to the ice or across a parking lot to an arena or walking in traditional roller skates or inline skates in a store or restaurant).

IPC 8 full level

A63C 3/12 (2006.01)

CPC (source: EP)

A63C 3/12 (2013.01); **A63C 17/002** (2013.01); **A63C 17/02** (2013.01); **A63C 17/06** (2013.01)

Citation (search report)

- [XYI] GB 536193 A 19410506 - CLIFFORD ATHERTON RIORDAN
- [XI] US 5513881 A 19960507 - DIMEGLIO DAWN C [US], et al
- [XYI] US 1982524 A 19341127 - ADOLF KUTCHERA
- [XI] US 189923 A 18770424
- [X] US 30627 A 18601113
- See references of WO 2010059877A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

DOCDB simple family (publication)

WO 2010059877 A1 20100527; CA 2744057 A1 20100527; CA 2744057 C 20140819; EP 2373387 A1 20111012; EP 2373387 A4 20150311; EP 2373387 B1 20170405

DOCDB simple family (application)

US 2009065218 W 20091119; CA 2744057 A 20091119; EP 09828252 A 20091119