

Title (en)  
A FRAMING SYSTEM

Title (de)  
RAHMENSYSTEM

Title (fr)  
SYSTÈME D' OSSATURE

Publication  
**EP 2398973 A1 20111228 (EN)**

Application  
**EP 10705438 A 20100212**

Priority  

- IE 2010000007 W 20100212
- IE 20090116 A 20090212

Abstract (en)  
[origin: GB2467843A] A framing system comprises a plurality of laterally spaced-apart studs 41 and a header 10. Each stud 41 comprises an elongated generally C-shaped lipped channel having a web 3 and side flanges 4, 5 which extend continuously the length of the element. Each of the flanges 4, 5 has an elongate slot 6 therein. The slot 6 is located on the central longitudinal axis of the flanges 4, 5. The side flanges 4, 5 may have inturned lips 7, 8 at the upper edge to define a generally C-shaped form. The web 3 may have a pair of laterally spaced apart elongate slots 40 therein for mounting of an ancillary element such as an angle cleat or bracket 50. The header 2 is of channel section comprising a web 10 and a pair of flanges 11, 12. The header 2 is mounted to the studs 41 in such a way as to accommodate limited vertical movement of the header 2 relative to the studs 41. Fixings 42,43 are screwed through the flanges 11, 12 of the header and extend to engage in the slots 6 in the stud flanges 4, 5. Indicating means may be provided on the flanges of the header to give a consistent fixing position.

IPC 8 full level  
**E04B 2/76** (2006.01)

CPC (source: EP GB)  
**E04B 2/767** (2013.01 - EP GB); **E04B 2/768** (2013.01 - EP); **E04B 2/821** (2013.01 - GB)

Citation (search report)  
See references of WO 2010092563A1

Designated contracting state (EPC)  
AT BE BG CH CY CZ DE DK EE ES FI FR GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

DOCDB simple family (publication)  
**GB 201002394 D0 20100331; GB 2467843 A 20100818; GB 2467843 B 20130904;** EP 2398973 A1 20111228; EP 2398973 B1 20140820;  
ES 2518442 T3 20141105; IE 20100079 A1 20100901; IE 86383 B1 20140423; PL 2398973 T3 20150227; WO 2010092563 A1 20100819

DOCDB simple family (application)  
**GB 201002394 A 20100212;** EP 10705438 A 20100212; ES 10705438 T 20100212; IE 2010000007 W 20100212; IE 20100079 A 20100212;  
PL 10705438 T 20100212