

Title (en)
Fixing device

Title (de)
Befestigungsvorrichtung

Title (fr)
Dispositif de fixation

Publication
EP 2400207 B1 20160928 (DE)

Application
EP 11170086 A 20110616

Priority
DE 202010009487 U 20100624

Abstract (en)
[origin: EP2400207A2] The device (3) has a cylinder (5) firmly arranged at an electrical consumer (4), and a through-hole formed at a carrier plate (2) of a light-band element (1). The cylinder is arranged in the through-hole, and rotates around its longitudinal middle axis (9) relative to the carrier plate. The cylinder is insertable into the through-hole until a circumferential groove of the cylinder resides at an inner side (8) of the carrier plate. A slider (10) is interpositioned in the groove, and axially secures the cylinder with respect to the longitudinal middle axis.

IPC 8 full level

F21V 17/18 (2006.01); **F21S 2/00** (2016.01); **F21V 21/02** (2006.01); **G09F 7/20** (2006.01); **F21Y 101/00** (2016.01); **F21Y 103/00** (2016.01);
F21Y 113/00 (2016.01)

CPC (source: EP US)

F21S 2/00 (2013.01 - EP US); **F21V 21/025** (2013.01 - EP US); **G09F 7/20** (2013.01 - EP US); **F21V 17/18** (2013.01 - EP);
F21Y 2103/00 (2013.01 - EP US); **F21Y 2113/00** (2013.01 - EP); **F21Y 2113/20** (2016.07 - EP); **F21Y 2115/10** (2016.07 - EP US);
G09F 2013/05 (2021.05 - EP)

Cited by
CN103377596A

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

DE 202010009487 U1 20101007; EP 2400207 A2 20111228; EP 2400207 A3 20130123; EP 2400207 B1 20160928; PL 2400207 T3 20170228

DOCDB simple family (application)

DE 202010009487 U 20100624; EP 11170086 A 20110616; PL 11170086 T 20110616