

Title (en)
LOCKING DEVICE

Title (de)
SPERRVORRICHTUNG

Title (fr)
DISPOSITIF DE VERROUILLAGE

Publication
EP 2401456 B1 20160217 (EN)

Application
EP 10746516 A 20100226

Priority
• SE 2010050225 W 20100226
• SE 0900265 A 20090227

Abstract (en)
[origin: WO2010098721A1] Locking device comprising a lock mechanism, a forend (1, 101, 201, 301, 401) having at least one bolt opening (9, 109, 209, 309, 409) and at least one bolt (10, 110, 210, 310, 410). The bolt is mechanically- coupled to the lock mechanism and is movable between a position retracted in the direction of the lock mechanism and a position extended through the bolt opening, and has a blocking protrusion (14, 15, 114, 115, 214, 215, 314, 315, 414, 415) disposed inside the forend and projecting in the lateral direction relative to the motional direction, and a front bolt portion (11, 111, 211, 311, 411) disposed in front of the blocking protrusion and, in the extended position, accommodated in the bolt opening with a clearance to the forend. The locking device comprises a covering element which is fixed in relation to the forend and extends parallel with the motional direction of the bolt, which covering element has a first recess which, when the bolt is in the extended position, is disposed laterally outside the blocking protrusion and is open in the direction of the bolt.

IPC 8 full level
E05B 17/20 (2006.01)

CPC (source: EP SE)
E05B 9/02 (2013.01 - EP); **E05B 15/10** (2013.01 - EP); **E05B 17/2003** (2013.01 - SE); **E05B 17/2084** (2013.01 - EP SE);
E05B 17/2088 (2013.01 - SE); **E05B 17/2003** (2013.01 - EP)

Cited by
CN106088843A

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

DOCDB simple family (publication)
WO 2010098721 A1 20100902; DK 2401456 T3 20160517; EP 2401456 A1 20120104; EP 2401456 A4 20141217; EP 2401456 B1 20160217;
PL 2401456 T3 20161130; SE 0900265 A1 20100828; SE 533488 C2 20101005

DOCDB simple family (application)
SE 2010050225 W 20100226; DK 10746516 T 20100226; EP 10746516 A 20100226; PL 10746516 T 20100226; SE 0900265 A 20090227