

Title (en)
SERVICE SPACE FOR A RETRACTABLE PROPULSION DEVICE OR CORRESPONDING

Title (de)
WARTUNGSRAUM FÜR EINE EINZIEHBARE ANTRIEBSVORRICHTUNG ODER DERGLEICHEN

Title (fr)
ESPACE DE SERVICE POUR DISPOSITIF DE PROPULSION RETRACTABLE OU CORRESPONDANT

Publication
EP 2403749 A1 20120111 (EN)

Application
EP 09841030 A 20090305

Priority
FI 2009050181 W 20090305

Abstract (en)
[origin: WO2010100313A1] The invention relates to a service space of a retractable propulsion device or corresponding system in a vessel or corresponding floating structure, which service space (11) comprises a closed or closable space limited by walls, a top structure and a bottom in which an access has been arranged for the crew (C) from the other parts of the vessel or corresponding floating structure. The service space (11) is constructed into connection with the bottom (2) of the vessel or corresponding floating structure so that the propulsion device (4) or corresponding system is retractable from an operating position into a service/storage position within the service space (11) and correspondingly lowerable from the service space (11) down into the operating position. According to the invention, the service space (11) is located at least mainly below a waterline (WL) of the vessel or corresponding floating structure and is provided with watertight closing devices (14) arranged on the level of the bottom (2) of the vessel or corresponding floating structure. When opened, the closing devices (14) constitute a direct access from the service space (11) to water via the bottom (2) of the vessel or corresponding floating structure for lowering the propulsion device (4) or corresponding system from the service space (11) to water into the operating position i.e. operating mode and correspondingly for lifting it from water within the service space (11) into the service/storage position i.e. service/storage mode. When closed, the closing devices (14) constitute together with the top and wall structures of the service space (11) a watertight space from which water is removable after closing the closing devices (14).

IPC 8 full level
B63H 5/125 (2006.01)

CPC (source: EP KR US)
B63B 17/0018 (2013.01 - EP US); **B63H 5/125** (2013.01 - EP KR US); **B63H 25/42** (2013.01 - EP US); **B63H 2025/425** (2013.01 - EP US)

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK TR

DOCDB simple family (publication)
WO 2010100313 A1 20100910; AU 2009341273 A1 20111103; AU 2009341273 B2 20150219; BR PI0924415 A2 20160126; BR PI0924415 B1 20200908; CA 2754187 A1 20100910; CA 2754187 C 20150120; CN 102341301 A 20120201; CN 102341301 B 20141105; CY 1114158 T1 20160831; DK 2403749 T3 20130729; EA 022483 B1 20160129; EA 201171105 A1 20120330; EP 2403749 A1 20120111; EP 2403749 A4 20120725; EP 2403749 B1 20130424; HR P20130648 T1 20130831; KR 101381271 B1 20140404; KR 20110125254 A 20111118; MX 2011009237 A 20111206; PL 2403749 T3 20131129; US 2011315061 A1 20111229; US 8715021 B2 20140506

DOCDB simple family (application)
FI 2009050181 W 20090305; AU 2009341273 A 20090305; BR PI0924415 A 20090305; CA 2754187 A 20090305; CN 200980157861 A 20090305; CY 131100610 T 20130717; DK 09841030 T 20090305; EA 201171105 A 20090305; EP 09841030 A 20090305; HR P20130648 T 20130709; KR 20117022525 A 20090305; MX 2011009237 A 20090305; PL 09841030 T 20090305; US 200913254857 A 20090305