

Title (en)

METHOD FOR THE ENVIRONMENTALLY SEALED CONNECTION OF TWO AT LEAST PARTIALLY FLEXIBLE PACKAGES

Title (de)

VERFAHREN ZUM UMWELTDICHTEN VERBINDEN ZWEIER MINDESTENS TEILWEISE FLEXIBLER GEBINDE

Title (fr)

PROCÉDÉ PERMETTANT DE RELIER DE MANIÈRE ÉTANCHE À L'ENVIRONNEMENT DEUX EMBALLAGES AU MOINS EN PARTIE FLEXIBLES

Publication

**EP 2419342 B1 20130605 (DE)**

Application

**EP 10713824 A 20100326**

Priority

- EP 2010001915 W 20100326
- DE 102009017545 A 20090417

Abstract (en)

[origin: WO2010118817A1] The invention relates to a method for contamination-free docking of a first at least partially flexible package (10) to a second at least partially flexible package (10'). The packages (10, 10') consist of films, at least in part, having outer sides (12) that can be solidly welded, and inner sides (14) can be detachably welded. According to the invention, a solid connection between the packages is produced outside the detachably welded inner sides in order to create a channel between the packages. The channel is opened by loosening the connection between the inner sides.

IPC 8 full level

**B65B 69/00** (2006.01); **B65B 1/28** (2006.01); **B65G 69/18** (2006.01)

CPC (source: EP US)

**B65B 1/28** (2013.01 - EP US); **B65B 69/0075** (2013.01 - EP US); **Y10T 156/1054** (2015.01 - EP US); **Y10T 156/1056** (2015.01 - EP US); **Y10T 156/1057** (2015.01 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

DOCDB simple family (publication)

**WO 2010118817 A1 20101021; WO 2010118817 A8 20120105**; CN 102448836 A 20120509; CN 102448836 B 20130814; DE 102009017545 A1 20101028; DE 102009017545 B4 20110901; DE 102009017545 B9 20170720; EP 2419342 A1 20120222; EP 2419342 B1 20130605; JP 2012523994 A 20121011; US 2012085490 A1 20120412; US 8409390 B2 20130402

DOCDB simple family (application)

**EP 2010001915 W 20100326**; CN 201080023103 A 20100326; DE 102009017545 A 20090417; EP 10713824 A 20100326; JP 2012505068 A 20100326; US 201013264600 A 20100326