

Title (en)

METHOD FOR PROVIDING INFORMATION ABOUT THE WEAR AND TEAR OF A COMPONENT OF A MACHINE AND METHOD FOR PROVIDING A REPLACEMENT ALGORITHM

Title (de)

VERFAHREN ZUM BEREITSTELLEN EINE INFORMATION ÜBER EIN VERSCHLEISS EINER KOMPONENTE EINER MASCHINE UND VERFAHREN ZUM BEREITSTELLEN EINES ERSATZALGORITHMUS

Title (fr)

PROCÉDÉ PERMETTANT D'OBTENIR UNE INFORMATION CONCERNANT L'USURE D'UN COMPOSANT D'UNE MACHINE ET PROCÉDÉ DE PRÉPARATION D'UN ALGORITHME ALTERNATIF

Publication

**EP 2419798 A1 20120222 (DE)**

Application

**EP 10718465 A 20100415**

Priority

- EP 2010002304 W 20100415
- DE 102009017564 A 20090417
- DE 102009024102 A 20090606

Abstract (en)

[origin: WO2010118864A1] The invention relates to a method (400) for providing information about the wear and tear of a component (20) of a machine (35) or information about the quality of a product which is to be produced by the machine (10, 35). Said method comprises the following steps; an algorithm is provided (410) in a memory (80) of the machine (10), said algorithm being designed to provide information about the wear and tear of a component (20) of the machine (35) or information about the quality of a product which is to be produced by the machine (35), from the operational parameters of the machine (10, 35); a replacement algorithm (120) is received (420) by an interface of the machine (10, 35) and the algorithm is replaced in the memory (80) by the replacement algorithm (120), said replacement algorithm (120) being designed, when the machine is in operation, to provide information about the wear and tear of a component (20) of the machine (10, 35) or information about the quality of a product which is to be produced by the machine (10, 35), from the operational parameters of the machine (10, 35); a plurality of operational parameters of the machine (10, 35) are obtained (430) and information and output about the wear and tear of a component (20) of the machine (10, 30, 35) or information about the quality of a product which is to be produced by the machine (10, 30, 35) is determined (440) and output, said determination (440) being carried out using the replacement algorithm (120) and the obtained operational parameters.

IPC 8 full level

**G05B 19/4065** (2006.01)

CPC (source: EP)

**G05B 19/4065** (2013.01); **G05B 2219/37254** (2013.01); **G05B 2219/50308** (2013.01); **Y02P 90/02** (2015.11)

Citation (search report)

See references of WO 2010118864A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

DOCDB simple family (publication)

**DE 102009024102 A1 20101021**; CN 102395929 A 20120328; CN 102395929 B 20150624; EP 2419798 A1 20120222; WO 2010118864 A1 20101021

DOCDB simple family (application)

**DE 102009024102 A 20090606**; CN 201080016757 A 20100415; EP 10718465 A 20100415; EP 2010002304 W 20100415