

Title (en)

Multi-chamber plate and method for filling it with a sample fluid

Title (de)

Mehrkammerplatte und Verfahren zu ihrer Befüllung mit einer Probenflüssigkeit

Title (fr)

Plaque à plusieurs chambres et son procédé de remplissage avec un échantillon liquide

Publication

EP 2436446 A1 20120404 (EN)

Application

EP 11183447 A 20110930

Priority

- EP 10186392 A 20101004
- EP 11183447 A 20110930

Abstract (en)

A multi-chamber plate (110) is disclosed: preferably for analytical purposes, the multi-chamber plate (110) has a plurality of chambers (112) and a channel system (114) for filling the chambers (112) with at least one sample fluid (113). The multi-chamber plate (110) has a proximal end (116) and a distal end (118). A radial direction (120) is defined from the proximal end (116) to the distal end (118). A centrifugal force (122) is applicable parallel to the radial direction (120). The channel system (114) comprises at least one application site (124) for applying the sample fluid (113) to the channel system (114). The chambers (112) each have at least one inlet opening (126) and at least one outlet opening (128) being separate from the inlet opening (126). Both the inlet opening (126) and the outlet opening (128) are positioned on a proximal side (130) of the chambers (112). The chambers (112) are fillable through the inlet openings (126) with the sample fluid (113) driven by the centrifugal force (122). The chambers (112) are vented through the outlet openings (128). At least one reagent (200) is located in the chambers (112). The channel system (114) has at least one main feeding line (132) and has at least one main venting line (134). The inlet openings (126) are connected to the main feeding line (132) at inlet channel junctions (136) and the outlet openings (128) are connected to the main venting line (134) at outlet channel junctions (138). The inlet channel junctions (136) are located further towards the distal end (118) than the respective outlet channel junctions (138). The inlet openings (126), the outlet openings (128), the inlet channel junctions (136) and the outlet channel junctions (138) are arranged such that, during the filling with the sample fluid (113), a venting of each chamber (112) is possible until the respective chamber (112) is completely filled with the sample fluid (113). Described layouts provide controlled, complete filling of the chambers (112) while strongly reducing the risk of cross-contamination of reagents (200), contained in the chambers (112), and trapping of gas bubbles in the chambers (112).

IPC 8 full level

B01L 3/00 (2006.01)

CPC (source: EP)

B01L 3/502723 (2013.01); **B01L 2200/0621** (2013.01); **B01L 2200/0684** (2013.01); **B01L 2300/0816** (2013.01); **B01L 2300/0864** (2013.01); **B01L 2300/087** (2013.01); **B01L 2400/0409** (2013.01)

Citation (applicant)

- US 2007134710 A1 20070614 - WOUDENBERG TIMOTHY W [US], et al
- US 2007014695 A1 20070118 - YUE MIN [US], et al
- EP 1977829 A1 20081008 - ROCHE DIAGNOSTICS GMBH [DE], et al
- EP 1936383 A1 20080625 - NISSUI PHARM CO LTD [JP]
- DE 102004063438 A1 20060706 - BACKES OKTAVIA [DE], et al
- US 7560073 B1 20090714 - PETERS RALF-PETER [DE], et al
- US 2008213755 A1 20080904 - GEISER TIMOTHY G [US], et al
- WO 2006116616 A2 20061102 - APPLERA CORP [US], et al
- US 2006288762 A1 20061228 - HARDING PHILLIP [US], et al
- US 2006189000 A1 20060824 - BEDINGHAM WILLIAM [US], et al
- US 2007280856 A1 20071206 - ULMANELLA UMBERTO [US], et al
- US 2009042256 A1 20090212 - HANAFUSA NOBUHIRO [JP], et al
- US 6669683 B2 20031230 - SANTINI JR JOHN T [US], et al
- EP 1740721 B1 20080827 - SIEMENS AG [DE]
- EP 2311565 A1 20110420 - HOFFMANN LA ROCHE [CH], et al

Citation (search report)

- [X1] EP 1936383 A1 20080625 - NISSUI PHARM CO LTD [JP]
- [X1] DE 102004063438 A1 20060706 - BACKES OKTAVIA [DE], et al
- [I] US 7560073 B1 20090714 - PETERS RALF-PETER [DE], et al
- [A] EP 1977829 A1 20081008 - ROCHE DIAGNOSTICS GMBH [DE], et al
- [AD] US 2007014695 A1 20070118 - YUE MIN [US], et al

Cited by

EP4056274A1; LU102655B1; JP2015521293A; CN114832873A; US2021394181A1; US12017222B2; US9994805B2; US10364411B2; US11566213B2; WO2017013561A1; US10775370B2; WO2016204638A3; WO2022013875A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

EP 2436446 A1 20120404; EP 2436446 B1 20160921

DOCDB simple family (application)

EP 11183447 A 20110930