

Title (en)

BALL SCREW HAVING CIRCUMFERENTIAL STOP

Title (de)

KUGELGEWINDETRIEB MIT UMFANGSSEITIGEM ANSCHLAG

Title (fr)

COMMANDÉ FILETÉE À ROULEMENT, PRÉSENTANT UNE BUTÉE PÉRIPHÉRIQUE

Publication

EP 2464896 A1 20120620 (DE)

Application

EP 10734741 A 20100719

Priority

- DE 102009036886 A 20090810
- EP 2010060445 W 20100719

Abstract (en)

[origin: WO2011018306A1] The invention relates to a ball screw (7, 24), comprising a threaded nut (10, 26) arranged on a threaded spindle (8, 28) and further comprising a stop (43) for circumferentially stopping the threaded nut (10, 26) at the intended stop position thereof on the threaded spindle (8, 28), wherein the stop (43) has a first stop surface (47) associated with the threaded nut (10, 26) and a second stop surface (48) associated with the threaded spindle (8, 28) and intended for stopping against the first stop surface (47), wherein axial overlap of the first stop surface (47) with the second stop surface (48) amounts to between 20% and 85% of the gradient of the threaded spindle (8, 28) is provided in the stop position.

IPC 8 full level

F16H 25/20 (2006.01)

CPC (source: EP KR US)

F16D 65/18 (2013.01 - EP US); **F16H 25/20** (2013.01 - KR); **F16H 25/2015** (2013.01 - EP US); **F16D 2121/14** (2013.01 - EP US);
F16D 2125/40 (2013.01 - EP US); **F16H 25/2204** (2013.01 - EP US); **Y10T 74/19744** (2015.01 - EP US)

Citation (search report)

See references of WO 2011018306A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

DOCDB simple family (publication)

DE 102009036886 A1 20110217; BR 112012003110 A2 20160223; EP 2464896 A1 20120620; KR 20120041155 A 20120430;
US 2012090418 A1 20120419; WO 2011018306 A1 20110217

DOCDB simple family (application)

DE 102009036886 A 20090810; BR 112012003110 A 20100719; EP 10734741 A 20100719; EP 2010060445 W 20100719;
KR 20117024539 A 20100719; US 201013377333 A 20100719