

Title (en)

HOT ROLLING TRAIN FOR ROLLING HOT-ROLLED STRIP, METHOD FOR OPERATING A HOT ROLLING TRAIN FOR ROLLING HOT-ROLLED STRIP, AND CONTROL DEVICE

Title (de)

WARMWALZSTRASSE ZUM WALZEN VON WARBAND, VERFAHREN ZUM BETRIEB EINER WARMWALZSTRASSE ZUM WALZEN VON WARBAND, STEUER- UND/ODER REGELEINRICHTUNG

Title (fr)

TRAIN DE LAMINAGE À CHAUD POUR LE LAMINAGE D'UN FEUILLARD À CHAUD, PROCÉDÉ POUR FAIRE FONCTIONNER UN TRAIN DE LAMINAGE À CHAUD POUR LE LAMINAGE D'UN FEUILLARD À CHAUD, AINSI QUE DISPOSITIF DE COMMANDE ET/OU DE RÉGULATION

Publication

EP 2531309 A2 20121212 (DE)

Application

EP 10803255 A 20101230

Priority

- EP 10152741 A 20100205
- EP 2010070916 W 20101230
- EP 10803255 A 20101230

Abstract (en)

[origin: EP2353742A1] The hot rolling mill (1) comprises a cooling section (4) for cooling the hot strips, and strip driving devices arranged in a mass flow direction after the start of the cooling section and in mass flow direction before the end of the cooling section, where a tensile stress of the hot strips is adjustable by the strip driving device. Two adjacent strip driving devices have an interval f 20-50 m. The cooling section has cooling segments (5) releasing a cooling agent spaced apart from each other in the mass flow direction. The strip driving device is formed as a set of driving rollers. The hot rolling mill (1) comprises a cooling section (4) for cooling the hot strips, and strip driving devices arranged in a mass flow direction after the start of the cooling section and in mass flow direction before the end of the cooling section, where a tensile stress of the hot strips is adjustable by the strip driving device. Two adjacent strip driving devices have an interval f 20-50 m. The cooling section has cooling segments (5) releasing a cooling agent spaced apart from each other in the mass flow direction. The strip driving device is formed as a set of driving rollers, where the strip driving device is arranged between all the adjacent cooling segments. A further strip driving device is arranged upstream and/or downstream to the cooling section in the mass flow direction. Independent claims are included for: (1) a method for operating a hot rolling mill; and (2) a control- and/or regulating device for a hot rolling mill.

IPC 8 full level

B21B 39/08 (2006.01); **B21B 45/02** (2006.01); **C21D 9/573** (2006.01); **C21D 11/00** (2006.01)

CPC (source: EP)

B21B 39/08 (2013.01); **B21B 45/0218** (2013.01); **C21D 9/573** (2013.01); **C21D 9/5735** (2013.01); **C21D 9/5737** (2013.01);
C21D 11/005 (2013.01); **B21B 15/005** (2013.01); **B21B 37/76** (2013.01); **B21B 2265/02** (2013.01)

Citation (search report)

See references of WO 2011095265A2

Citation (examination)

EP 2486991 A1 20120815 - NIPPON STEEL CORP [JP]

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

EP 2353742 A1 20110810; CN 102740989 A 20121017; EP 2531309 A2 20121212; WO 2011095265 A2 20110811;
WO 2011095265 A3 20120112

DOCDB simple family (application)

EP 10152741 A 20100205; CN 201080063122 A 20101230; EP 10803255 A 20101230; EP 2010070916 W 20101230