

Title (en)

PLATE HEAT EXCHANGER, PLATE HEAT EXCHANGER PRODUCING METHOD, AND HEAT PUMP APPARATUS

Title (de)

PLATTENWÄRMETAUSCHER, PLATTENWÄRMETAUSCHERHERSTELLUNGSVERFAHREN UND WÄRMEPUMPENVORRICHTUNG

Title (fr)

ÉCHANGEUR THERMIQUE À PLAQUES, PROCÉDÉ DE FABRICATION D'UN ÉCHANGEUR THERMIQUE À PLAQUES, ET APPAREIL DE POMPE À CHALEUR

Publication

EP 2551626 A1 20130130 (EN)

Application

EP 10848381 A 20100325

Priority

JP 2010055166 W 20100325

Abstract (en)

A nozzle 114a is an inlet port for a refrigerant. A recessed portion 117 (recessed area) is formed in a side plate 110a. The recessed portion 117, in conjunction with the nozzle insertion portion 131 and a bottom surface 133 of a reinforcing plate 113a, defines an inner space 119 which substantially seals the periphery of a nozzle insertion portion 131. The inner space 119 is a so-called doughnut-shaped space which surrounds the periphery of the nozzle insertion portion 131. A brazing filler material is introduced into the inner space 117 through a gap 132, and fills the inner space. As a result of the filling of the brazing filler material, the nozzle 114a, the reinforcing plate 113a, and the inner space 119 constitute a "pillar". The pillar improves the strength of the plate heat exchanger.

IPC 8 full level

F28F 3/00 (2006.01)

CPC (source: EP)

F28D 9/005 (2013.01); **F28F 9/001** (2013.01); **F28F 9/0219** (2013.01); **F28F 9/0246** (2013.01); **F28F 2275/04** (2013.01)

Cited by

EP4006477A4; EP3203171A1; DE102016201712A1; FR3111976A1; US11353268B2; WO2021020749A1; WO2021259762A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR

DOCDB simple family (publication)

EP 2551626 A1 20130130; **EP 2551626 A4 20180221**; JP 5496321 B2 20140521; JP WO2011117988 A1 20130704; WO 2011117988 A1 20110929

DOCDB simple family (application)

EP 10848381 A 20100325; JP 2010055166 W 20100325; JP 2012506710 A 20100325