

Title (en)
LOCATING UNIT AND LOCATING METHOD

Title (de)
ORTUNGSEINHEIT UND ORTUNGSVERFAHREN

Title (fr)
UNITÉ ET PROCÉDÉ DE REPÉRAGE

Publication
EP 2553663 A1 20130206 (DE)

Application
EP 11709341 A 20110316

Priority
• DE 102010013657 A 20100330
• EP 2011001275 W 20110316

Abstract (en)
[origin: WO2011120633A1] The present invention relates to a method for locating at least one component (1) as part of an industrial installation, wherein a surface (10) of the at least one component (1) is provided with a radio-initiateable display unit (20), particularly an organic light-emitting diode (OLED), which can be initiated by radio when required. In addition, the present invention relates to a component (1) as part of an industrial installation, a surface (10) of which component is provided with a radio-initiateable display unit (20), particularly an organic light emitting diode (OLED), which can be initiated by radio when required and with an intelligent circuit which is associated with a component according to the invention and uses an implemented computer program with program code means to prompt the display unit (20), in the event of the occurrence of a fault on the component (1), to emit light in a signal colour, following initiation by radio, when the computer program is executed on a computer unit coupled to the circuit.

IPC 8 full level
G07F 7/06 (2006.01)

CPC (source: EP US)
G01V 15/00 (2013.01 - EP US); **G06Q 10/08** (2013.01 - EP US)

Citation (search report)
See references of WO 2011120633A1

Citation (examination)
US 2010052909 A1 20100304 - DOAN CHRISTOPHER HOANG [US], et al

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
WO 2011120633 A1 20111006; DE 102010013657 A1 20111006; EP 2553663 A1 20130206; US 2013021151 A1 20130124

DOCDB simple family (application)
EP 2011001275 W 20110316; DE 102010013657 A 20100330; EP 11709341 A 20110316; US 201113580679 A 20110316