

Title (en)

METHOD FOR LOCKING OPERATING POSITION OF BOOM, PERSONNEL HOIST AND LIFT CYLINDER

Title (de)

VERFAHREN ZUR BEIBEHALTUNG DER BETRIEBSPOSITION EINES AUSLEGER SOWIE PERSONENHEBEVORRICHTUNG UND HEBEZYLINDER DAFÜR

Title (fr)

PROCÉDÉ POUR VERROUILLER LA POSITION DE FONCTIONNEMENT D'UNE FLÈCHE, MONTE-PERSONNEL ET VÉRIN DE LEVAGE

Publication

EP 2558403 B1 20150902 (EN)

Application

EP 11768513 A 20110414

Priority

- FI 20105387 A 20100414
- FI 2011050331 W 20110414

Abstract (en)

[origin: WO2011128510A1] The invention relates to a method for locking an operating position of a boom, to a personnel hoist and a lift cylinder for a boom. The boom (3) may be raised up to an operating position (A) by the lift cylinder (8). The movement between a piston rod (13) of the lift cylinder (8) and the cylinder body (14) may be locked at least in the return direction by means of a locking device (17). The locking device comprises a first locking member (10) moving together with the piston and a second locking member (15) coupled to the cylinder body. In the locking position of the locking device the relative longitudinal movement between the locking members is prevented mechanically, which allows the boom to be locked to its operating position.

IPC 8 full level

B66C 23/36 (2006.01); **B66C 23/42** (2006.01); **B66F 11/04** (2006.01); **B66F 17/00** (2006.01); **F15B 15/26** (2006.01)

CPC (source: EP FI)

B66C 23/36 (2013.01 - FI); **B66C 23/42** (2013.01 - EP); **B66F 11/046** (2013.01 - EP FI); **B66F 17/006** (2013.01 - EP); **F15B 15/261** (2013.01 - EP)

Cited by

WO2019133253A1; US10745255B2

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

WO 2011128510 A1 20111020; EP 2558403 A1 20130220; EP 2558403 A4 20140910; EP 2558403 B1 20150902; ES 2552434 T3 20151127; FI 122539 B 20120315; FI 20105387 A0 20100414; FI 20105387 A 20111015; PL 2558403 T3 20160429

DOCDB simple family (application)

FI 2011050331 W 20110414; EP 11768513 A 20110414; ES 11768513 T 20110414; FI 20105387 A 20100414; PL 11768513 T 20110414