

Title (en)

Actuator

Title (de)

Auslösevorrichtung

Title (fr)

Dispositif de libération

Publication

EP 2559458 B1 20160706 (DE)

Application

EP 12005493 A 20120727

Priority

DE 202011104314 U 20110815

Abstract (en)

[origin: EP2559458A2] The device (1) has a carriage (2) biased opposite to a stationary component i.e. confinement wall (3) of an exhaust air duct in a linearly adjustable manner. A temperature-sensitive actuating element (6) is arranged between a surface (4) of the carriage and a surface (5) of the stationary component. The surfaces of the carriage and the stationary component face each other and converge with reduction in biasing force. The actuating element is designed as a glass ampoule filled with liquid or fusion solder.

IPC 8 full level

A62C 37/11 (2006.01); **A62C 37/42** (2006.01); **A62C 37/48** (2006.01); **A62C 2/24** (2006.01); **A62C 3/00** (2006.01)

CPC (source: EP)

A62C 37/11 (2013.01); **A62C 37/42** (2013.01); **A62C 37/48** (2013.01); **A62C 2/241** (2013.01); **A62C 3/006** (2013.01)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

DE 202011104314 U1 20111116; EP 2559458 A2 20130220; EP 2559458 A3 20140430; EP 2559458 B1 20160706

DOCDB simple family (application)

DE 202011104314 U 20110815; EP 12005493 A 20120727