

Title (en)

Method and device for operating in idle mode

Title (de)

Verfahren und Vorrichtung zum Betrieb im Leerlauf

Title (fr)

Procédé et dispositif pour fonctionnement en mode veille

Publication

**EP 2568721 B1 20141015 (EN)**

Application

**EP 12006051 A 20120824**

Priority

- US 201161527124 P 20110825
- US 201161536520 P 20110919
- US 201161536523 P 20110919

Abstract (en)

[origin: EP2568721A1] A method and device for operating in an idle mode for Machine To Machine (M2M) communication are provided. A M2M device receives a paging message indicating a resource allocation for a ranging request. The M2M device monitors assignment information including the resource allocation for the ranging request. Cyclic redundancy check (CRC) bits of the assignment information are masked with a part of a M2M identifier and the assignment information includes a remaining part of the M2M identifier.

IPC 8 full level

**H04W 4/70** (2018.01); **H04W 68/00** (2009.01)

CPC (source: EP US)

**H04W 4/70** (2018.01 - EP US); **H04W 68/00** (2013.01 - EP US); **Y02D 30/70** (2020.08 - US)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**EP 2568721 A1 20130313**; **EP 2568721 B1 20141015**; CN 102958137 A 20130306; CN 102958137 B 20170609; CN 102958157 A 20130306; CN 102958157 B 20170912; EP 2568722 A1 20130313; EP 2568722 B1 20141105; US 2013051295 A1 20130228; US 2013051296 A1 20130228; US 8885534 B2 20141111; US 8929267 B2 20150106

DOCDB simple family (application)

**EP 12006051 A 20120824**; CN 201210308851 A 20120827; CN 201210309037 A 20120827; EP 12006052 A 20120824; US 201213592948 A 20120823; US 201213592966 A 20120823