

Title (en)

ROTOR OF AN ELECTRIC MOTOR AND MANUFACTURING METHOD OF SAME

Title (de)

ROTOR FÜR EINEN ELEKTROMOTOR UND FERTIGUNGSMETHODE DAFÜR

Title (fr)

ROTOR D'UN MOTEUR ÉLECTRIQUE ET SON PROCÉDÉ DE FABRICATION

Publication

EP 2577847 A2 20130410 (EN)

Application

EP 11740714 A 20110603

Priority

- JP 2010128627 A 20100604
- IB 2011001209 W 20110603

Abstract (en)

[origin: WO2011151713A2] A rotor (10) of an electric motor is provided in which a cylindrical rotor core (16) that is formed by stacked magnetic steel sheets (19) and includes permanent magnets (24) is crimp-fixed to a rotor shaft (14). The rotor core (16) is directly fixed, in the axial direction of the rotor shaft (14), between a flange portion (12) that is provided on an outer periphery of the rotor shaft (14) and abuts against one axial end surface (17a) of the rotor core (16), and a crimping member (18) that is crimp-fixed on the rotor shaft (14) while pressure-contacting the other axial end surface of the rotor core (16).

IPC 8 full level

H02K 1/28 (2006.01); **B60Q 1/50** (2006.01); **H02K 1/27** (2006.01)

CPC (source: EP US)

B60Q 5/008 (2013.01 - EP US); **H02K 1/2706** (2013.01 - US); **H02K 1/2713** (2013.01 - US); **H02K 1/2766** (2013.01 - EP US);
H02K 1/28 (2013.01 - EP US); **H02K 15/03** (2013.01 - US); **H02K 1/32** (2013.01 - EP US); **Y10T 29/49012** (2015.01 - EP US)

Citation (search report)

See references of WO 2011151713A2

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

WO 2011151713 A2 20111208; WO 2011151713 A3 20121004; CN 102934329 A 20130213; EP 2577847 A2 20130410;
JP 2011254677 A 20111215; US 2013127283 A1 20130523

DOCDB simple family (application)

IB 2011001209 W 20110603; CN 201180027639 A 20110603; EP 11740714 A 20110603; JP 2010128627 A 20100604;
US 201113702012 A 20110604