

Title (en)

Device for transcribing a mechanical position into an electrical state

Title (de)

Vorrichtung zur Transkription einer mechanischen Position in einen elektrischen Zustand

Title (fr)

Dispositif de transcription d'une position mécanique en un état électrique

Publication

EP 2581924 B1 20140514 (FR)

Application

EP 12354046 A 20121002

Priority

FR 1103079 A 20111010

Abstract (en)

[origin: EP2581924A1] The conversion device has two switches (6A,6B) that are actionable between open and closed states. Mechanism receives input mechanical command to actuate switches. The lever has swiveling axis, and left and right side arms (23A,23B) to operate two switches. The two side arms are arranged on left and right sides opposite relative to swiveling axis. Two switches are located on the left and right sides which are opposite to each other relative to swiveling axis.

IPC 8 full level

H01H 50/54 (2006.01); **H01H 1/20** (2006.01); **H01H 71/46** (2006.01)

CPC (source: EP US)

H01H 1/20 (2013.01 - EP US); **H01H 50/541** (2013.01 - EP US); **H01H 71/46** (2013.01 - EP US)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

EP 2581924 A1 20130417; **EP 2581924 B1 20140514**; BR 102012025817 A2 20160419; BR 102012025817 B1 20210406; CA 2791923 A1 20130410; CA 2791923 C 20200218; CN 103107047 A 20130515; CN 103107047 B 20170728; ES 2474145 T3 20140708; FR 2981192 A1 20130412; FR 2981192 B1 20131115; JP 2013084604 A 20130509; JP 6129512 B2 20170517; US 2013087438 A1 20130411; US 9287060 B2 20160315

DOCDB simple family (application)

EP 12354046 A 20121002; BR 102012025817 A 20121009; CA 2791923 A 20121003; CN 201210596281 A 20121010; ES 12354046 T 20121002; FR 1103079 A 20111010; JP 2012225157 A 20121010; US 201213648772 A 20121010