

Title (en)

PROCESS FOR HOT-ROLLING METALLIC HOLLOW BODIES

Title (de)

VERFAHREN ZUM WARMWALZEN METALLISCHER HOHLKÖRPER

Title (fr)

PROCÉDÉ DE LAMINAGE À CHAUD DE CORPS CREUX MÉTALLIQUES

Publication

**EP 2585235 B1 20161116 (DE)**

Application

**EP 11779565 A 20110628**

Priority

- DE 102010049645 A 20101028
- DE 102010025288 A 20100628
- DE 2011001411 W 20110628

Abstract (en)

[origin: DE102010049645A1] The method involves applying lubricant on a rolling bar (2) arranged in a workpiece (1) e.g. metallic elongated hollow body, before a hot-rolling process. The lubricant is brought into solid form at the rolling bar. The lubricant is pressed at the rolling bar and bonded. Layer thickness of the lubricant is controlled during application of the lubricant, where lubrication layers comprise different material characteristics. The lubricant is provided with a functional agent such as adhesive agent, bonding agent, releasing agent and/or insulation agent i.e. thermal insulation agent. An independent claim is also included for a hot rolling mill for hot-rolling of a metallic elongated hollow body.

IPC 8 full level

**B21B 25/04** (2006.01)

CPC (source: EP US)

**B21B 25/04** (2013.01 - EP US); **B21B 19/06** (2013.01 - EP US); **B21B 23/00** (2013.01 - EP US)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**DE 102010049645 A1 20111229**; CN 102971094 A 20130313; CN 102971094 B 20151125; DE 112011104104 A5 20130905; EP 2585235 A2 20130501; EP 2585235 B1 20161116; ES 2613359 T3 20170524; US 10166583 B2 20190101; US 2013098128 A1 20130425; WO 2012022284 A2 20120223; WO 2012022284 A3 20120628

DOCDB simple family (application)

**DE 102010049645 A 20101028**; CN 201180032244 A 20110628; DE 112011104104 T 20110628; DE 2011001411 W 20110628; EP 11779565 A 20110628; ES 11779565 T 20110628; US 201113806802 A 20110628