

Title (en)

SETTING THE OPERATING MODE OF A HAZARD WARNING SYSTEM BY MEANS OF AN ELECTRICALLY READABLE BIPOLE, IN PARTICULAR A RESISTOR, WHICH IS ARRANGED IN A HAZARD WARNING SYSTEM SOCKET

Title (de)

EINSTELLEN DER BETRIEBSART EINES GEFAHRENMELDERS MITTELS EINES IN EINEM GEFAHRENMELDERSOCKEL ANGEORDNETEN, ELEKTRISCH AUSLESBAREN ZWEIPOLS, INSBESONDERE EINES WIDERSTANDS

Title (fr)

RÉGLAGE DU MODE DE FONCTIONNEMENT D'UN AVERTISSEUR DE DANGER AU MOYEN D'UN DIPÔLE, EN PARTICULIER D'UNE RÉSISTANCE, ÉLECTRIQUEMENT LISIBLE, DISPOSÉ DANS UN SOCLE D'AVERTISSEUR DE DANGER

Publication

**EP 2622588 B1 20150520 (DE)**

Application

**EP 11767216 A 20110927**

Priority

- EP 10185755 A 20101001
- EP 2011066798 W 20110927
- EP 11767216 A 20110927

Abstract (en)

[origin: EP2437225A1] A detector base (3) is used for releasably receiving a hazard detector (1), for setting two operating modes of hazard detector. The electrical characteristic value of two-terminal resistor (R1) in detector base is read out by an electronic controller (4) of hazard detector. The two-terminal resistor is connected to electrical contact (XEA) that is connected to electrical contact (YEA) of electronic controller. An external optical and/or acoustic alarm generator is connected with hazard detector, for reading the electrical characteristic value of two-terminal resistor. An independent claim is included for hazard detector.

IPC 8 full level

**G08B 17/10** (2006.01); **G08B 29/14** (2006.01); **G08B 29/20** (2006.01)

CPC (source: EP US)

**G08B 17/10** (2013.01 - EP US); **G08B 21/18** (2013.01 - US); **G08B 29/145** (2013.01 - EP US); **G08B 29/20** (2013.01 - EP US)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**EP 2437225 A1 20120404**; CN 103119636 A 20130522; CN 103119636 B 20150826; EP 2622588 A1 20130807; EP 2622588 B1 20150520; ES 2540560 T3 20150710; PL 2622588 T3 20151030; PT 2622588 E 20150909; US 2013241738 A1 20130919; US 9013321 B2 20150421; WO 2012041868 A1 20120405

DOCDB simple family (application)

**EP 10185755 A 20101001**; CN 201180046970 A 20110927; EP 11767216 A 20110927; EP 2011066798 W 20110927; ES 11767216 T 20110927; PL 11767216 T 20110927; PT 11767216 T 20110927; US 201113877190 A 20110927