

Title (en)
IMAGE PICKUP DEVICE AND DISTANCE MEASURING METHOD

Title (de)
BILDAUFNAHMEVORRICHTUNG UND ABSTANDSMESSVERFAHREN

Title (fr)
DISPOSITIF DE PRISE D'IMAGE ET PROCÉDÉ DE MESURE DE DISTANCE

Publication
EP 2642245 B1 20201111 (EN)

Application
EP 11842267 A 20111116

Priority

- JP 2010257227 A 20101117
- JP 2011006373 W 20111116

Abstract (en)
[origin: US2012300114A1] An imaging apparatus includes: an imaging unit; a focal range control unit configured to cause the imaging unit to capture a first image and a second image which have mutually different focal ranges, changing a focal position of the imaging unit; a reference image generation unit configured to generate, using the first image and the second image, a reference image to be used as a blur standard; and a distance measurement unit configured to measure a distance to the subject based on a difference in blur degrees between the reference image and each of the first image and the second image. The focal ranges of the first image and the second image are independent of each other, and an out-of-focus space is provided between the focal ranges.

IPC 8 full level
G01B 11/00 (2006.01); **G01C 3/06** (2006.01); **G01C 3/32** (2006.01); **G01S 17/46** (2006.01); **G02B 7/10** (2006.01); **G02B 7/28** (2006.01); **G02B 7/36** (2006.01); **G02B 7/38** (2006.01); **G02B 26/08** (2006.01); **G02B 27/16** (2006.01); **G03B 15/00** (2006.01); **G03B 17/17** (2006.01); **G06T 7/00** (2017.01); **G06T 7/571** (2017.01); **H04N 5/232** (2006.01); **H04N 13/236** (2018.01); **H04N 13/271** (2018.01)

CPC (source: EP US)
G01C 3/32 (2013.01 - EP US); **G01S 17/46** (2013.01 - EP US); **G02B 7/38** (2013.01 - EP US); **G06T 7/571** (2016.12 - EP US); **H04N 13/236** (2018.04 - EP US); **H04N 13/271** (2018.04 - EP US); **H04N 23/959** (2023.01 - EP US); **G02B 26/0816** (2013.01 - EP US); **G02B 27/16** (2013.01 - EP US); **G06T 2207/10016** (2013.01 - EP US); **G06T 2207/10148** (2013.01 - EP US)

Citation (examination)
SUBBARAO M: "Parallel Depth Recovery By Changing Camera Parameters", COMPUTER VISION., SECOND INTERNATIONAL CONFERENCE ON, IEEE, 5 December 1988 (1988-12-05), pages 149 - 155, XP032286257, ISBN: 978-0-8186-0883-4, DOI: 10.1109/CCV.1988.589986

Cited by
CN104759037A

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
US 2012300114 A1 20121129; US 8698943 B2 20140415; CN 102713512 A 20121003; CN 102713512 B 20150603; EP 2642245 A1 20130925; EP 2642245 A4 20140528; EP 2642245 B1 20201111; JP 5832424 B2 20151216; JP WO2012066774 A1 20140512; WO 2012066774 A1 20120524

DOCDB simple family (application)
US 201113522057 A 20111116; CN 201180006220 A 20111116; EP 11842267 A 20111116; JP 2011006373 W 20111116; JP 2012512728 A 20111116