

Title (en)
SWITCH

Title (de)
SCHALTER

Title (fr)
COMMUTATEUR

Publication
EP 2685483 B1 20161109 (EN)

Application
EP 11860185 A 20110323

Priority
• JP 2011051618 A 20110309
• JP 2011057003 W 20110323

Abstract (en)
[origin: EP2685483A1] The present invention provides a high-productivity switch wherein a press button can be mounted after incorporating internal components into a housing. For this purpose, a press button (90) is inserted into an operating hole (14) in a housing (10) such that an engaging projection (91) provided on the lower end edge portion of the press button (90) is engaged with a first engaging groove (17) provided on the inner periphery surface of the operating hole (14). Further, said engaging projection (91) which passed through said first engaging groove (17) pushes a slider (60) downward while rotating said press button (90). Then, the engaging projection (91) of said press button (90) is engaged with a second engaging groove (64) which is provided on the inner periphery surface of a recessed portion (63) of said slider (60), whereby said slider (60) moves upward and holds said press button (90) in place.

IPC 8 full level
H01H 13/14 (2006.01); **H01H 3/12** (2006.01); **H01H 13/52** (2006.01); **H01H 3/42** (2006.01); **H01H 13/18** (2006.01)

CPC (source: EP)
H01H 3/42 (2013.01); **H01H 13/52** (2013.01); **H01H 13/18** (2013.01)

Cited by
EP3282463A1; US10366851B2

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
EP 2685483 A1 20140115; EP 2685483 A4 20141203; EP 2685483 B1 20161109; CN 103384907 A 20131106; CN 103384907 B 20160831; JP 2012190602 A 20121004; JP 4784708 B1 20111005; WO 2012120700 A1 20120913

DOCDB simple family (application)
EP 11860185 A 20110323; CN 201180068236 A 20110323; JP 2011051618 A 20110309; JP 2011057003 W 20110323