

Title (en)
CONSTRUCTION MACHINE

Title (de)
BAUMASCHINE

Title (fr)
MACHINE DE CONSTRUCTION

Publication
EP 2708660 A1 20140319 (EN)

Application
EP 12782566 A 20120425

Priority
• JP 2011107149 A 20110512
• JP 2012061102 W 20120425

Abstract (en)
A working mechanism (4) takes a traveling stance by a way that left and right boom cylinders (9, 10) are expanded to rotate a tip end of a first boom (5) to the rear side and a positioning cylinder (11) is compressed to rotate a tip end of a second boom (6) to the lower side. In the traveling stance of the working mechanism (4), a front surface plate (23A) of a right front housing cover (23) is inclined along a tilting angle (\pm) of the left and right boom cylinders (9, 10), and the front surface plate (23A) of the right front housing cover (23) is arranged in a position of lining with front ends (9A1, 10A1) of tubes (9A, 10A) in the left-right direction forming the respective boom cylinders (9, 10).

IPC 8 full level
E02F 9/00 (2006.01); **E02F 3/38** (2006.01)

CPC (source: EP KR US)
E02F 3/301 (2013.01 - EP US); **E02F 3/32** (2013.01 - EP US); **E02F 3/38** (2013.01 - KR US); **E02F 3/425** (2013.01 - EP US);
E02F 9/00 (2013.01 - KR); **E02F 9/0858** (2013.01 - US); **E02F 9/0891** (2013.01 - EP US); **E02F 9/2271** (2013.01 - EP US)

Cited by
CN107119735A

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
US 2013323001 A1 20131205; **US 9181675 B2 20151110**; CN 103534417 A 20140122; CN 103534417 B 20160323;
EP 2708660 A1 20140319; EP 2708660 A4 20150422; EP 2708660 B1 20170920; JP 5756171 B2 20150729; JP WO2012153638 A1 20140731;
KR 101811771 B1 20171222; KR 20140018323 A 20140212; WO 2012153638 A1 20121115

DOCDB simple family (application)
US 201214000626 A 20120425; CN 201280023046 A 20120425; EP 12782566 A 20120425; JP 2012061102 W 20120425;
JP 2013513976 A 20120425; KR 20137028700 A 20120425