

Title (en)
SCROLL-TYPE FLUID MACHINE

Title (de)
SPIRALSTRÖMUNGSMASCHINE

Title (fr)
MACHINE À FLUIDE DU TYPE À VOLUTE

Publication
EP 2708749 A1 20140319 (EN)

Application
EP 12782824 A 20120426

Priority
• JP 2011107196 A 20110512
• JP 2012061181 W 20120426

Abstract (en)
Provided is a scroll-type fluid machine in which deformation of a rotary scroll can be reduced when a bearing is fixed to the inside of a boss part. In a scroll compressor, a fluid-tight chamber is formed by engaging a fixed scroll and a rotary scroll each having a spiral wall on a side of an end plate. The scroll compressor comprises: a metallic boss part (15C) protruding from the other side of the end plate of the rotary scroll; a metallic rotary bearing (12) inserted in the boss part (15C); a crankshaft configured to be rotated about an axis line and including a bush part, the bush part being inserted in the rotary bearing (12) and rotatably supported by the rotary bearing (12); and an insert member (31) disposed between the boss part (15C) and the rotary bearing (12), the insert member (31) having a thermal expansion coefficient greater than those of the boss part (15C) and the rotary bearing (12).

IPC 8 full level
F04C 18/02 (2006.01); **F04C 29/00** (2006.01)

CPC (source: EP US)
F04C 18/0215 (2013.01 - EP US); **F04C 29/0078** (2013.01 - EP US); **F04C 2240/51** (2013.01 - EP US); **F04C 2240/56** (2013.01 - EP US); **F04C 2270/13** (2013.01 - EP US); **F05C 2251/046** (2013.01 - EP US)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
US 2013243635 A1 20130919; CN 103370542 A 20131023; EP 2708749 A1 20140319; EP 2708749 A4 20150114; EP 2708749 A8 20150225; JP 2012237251 A 20121206; WO 2012153644 A1 20121115

DOCDB simple family (application)
US 201213988830 A 20120426; CN 201280003913 A 20120426; EP 12782824 A 20120426; JP 2011107196 A 20110512; JP 2012061181 W 20120426