

Title (en)

TYRE PROVIDED WITH SOUND CHANNELS

Title (de)

REIFEN MIT TONKANÄLEN

Title (fr)

PNEUMATIQUE MUNI DE CANAUX SONORES

Publication

EP 2723586 A1 20140430 (FR)

Application

EP 12738518 A 20120622

Priority

- FR 1155540 A 20110623
- FR 2012051438 W 20120622

Abstract (en)

[origin: WO2012175893A1] The invention relates to a tyre including at most 30 channels (23A, 23B) distributed substantially evenly around the circumference of the tyre. Each channel (23A, 23B) is arranged so as to fulfil the following conditions beyond a predetermined wear threshold: A) the channel (23A, 23B) leads into a design element of the tyre, and B) the channel (23A, 23B) includes an opening (36A) that radially opens to the outside of the tyre (10) and is defined by at least two ridges (34A) capable of engaging with the ground upon becoming part of the contact area between the tyre (10) and the ground, the circumferential distance (LcA) separating the ridges (34A) from one another being no less than 2 mm and preferably 4 mm, wherein below the predetermined threshold, the channel does not fulfil at least one of conditions A and B.

IPC 8 full level

B60C 11/04 (2006.01)

CPC (source: EP US)

B60C 11/0304 (2013.01 - EP US); **B60C 11/0306** (2013.01 - EP US); **B60C 11/0323** (2013.01 - EP US); **B60C 11/24** (2013.01 - US);
Y10T 152/10027 (2015.01 - EP US)

Citation (search report)

See references of WO 2012175893A1

Citation (examination)

EP 1616720 A1 20060118 - GOODYEAR TIRE & RUBBER [US]

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

FR 2976852 A1 20121228; FR 2976852 B1 20161223; BR 112013031519 A2 20161213; CN 103619613 A 20140305; EP 2723586 A1 20140430;
JP 2014516872 A 20140717; US 2014130948 A1 20140515; WO 2012175893 A1 20121227

DOCDB simple family (application)

FR 1155540 A 20110623; BR 112013031519 A 20120622; CN 201280030384 A 20120622; EP 12738518 A 20120622;
FR 2012051438 W 20120622; JP 2014516429 A 20120622; US 201214128712 A 20120622