

Title (en)

DEVICE FOR INSERTING DISTANCING CORDS

Title (de)

VORRICHTUNG ZUM EINLEGEN VON DISTANZSCHNÜREN

Title (fr)

DISPOSITIF POUR INSÉRER DES FILS ESPACEURS

Publication

EP 2758326 A1 20140730 (DE)

Application

EP 12775429 A 20120920

Priority

- AT 13722011 A 20110922
- AT 2012000240 W 20120920

Abstract (en)

[origin: WO2013040615A1] In order to insert at least two zick-zack-extending cords (1) between two adjacent glass panels (2, 3, 4), in order to maintain the glass panels (2, 3, 4) at a distance from each other, cord (1) guiding heads (20) which can be moved up and down on the front side of the front glass panel (2, 3) are provided. In order to move each guide head (20) up and down, a length of the cord (1) is placed on the glass panel (2, 3, 4) for each guiding head (20). Gripping elements (14) are proved in the region of the lower edge of the glass panel, said gripping elements being provided to maintain the cords (1) by forming loops (5) which are provided below the lower edge of the glass panels (2, 3, 4), said guiding heads (20) being displaced along the glass panels (2, 3, 4) up and down again and forming another length of cord (1).

IPC 8 full level

B65G 49/06 (2006.01); **B65D 57/00** (2006.01); **B65D 85/48** (2006.01)

CPC (source: EP US)

B65D 57/006 (2020.05 - EP US); **B65G 49/068** (2013.01 - US); **B65G 49/069** (2013.01 - EP US)

Citation (search report)

See references of WO 2013040615A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

WO 2013040615 A1 20130328; AT 12992 U1 20130315; AU 2012313372 A1 20140410; AU 2012313372 A8 20140417;
AU 2012313372 B2 20150709; CN 103813969 A 20140521; EP 2758326 A1 20140730; US 2014196402 A1 20140717

DOCDB simple family (application)

AT 2012000240 W 20120920; AT 80792012 U 20110922; AU 2012313372 A 20120920; CN 201280045975 A 20120920;
EP 12775429 A 20120920; US 201214233161 A 20120920