

Title (en)
Pneumatic tire

Title (de)
Luftreifen

Title (fr)
Pneu

Publication
EP 2769856 B1 20181107 (EN)

Application
EP 14154977 A 20140213

Priority
JP 2013034936 A 20130225

Abstract (en)
[origin: EP2769856A1] Pneumatic tire provided with major oblique grooves (4) disposed staggeredly on both sides of the tread pattern's center line (3), and plural minor oblique grooves (5) disposed between the circumferentially adjacent major oblique grooves (4); the major and minor oblique grooves (4, 5) extend toward the opposite direction (CR) to the intended tire rotational direction while increasing the angle (α , α^2) with respect to the circumferential direction; when the axial width between the tread pattern's center line and a tread edge is evenly partitioned into 1st to 5th zones in this order from the center line, the angle α of the major oblique groove satisfies the relations : $\alpha_1 < \alpha_2 = < \alpha_3 = < \alpha_4 = < \alpha_5$ and $\alpha_5 - \alpha_1 = 50 - 110$ degrees, wherein α_1 to α_5 are mean values of the angle α in the 1st to 5th zones; each major oblique groove (4) is provided in the 1st or 2nd zone with a bent point (Q0) at which the angle α changes at least 30 degrees.

IPC 8 full level
B60C 11/03 (2006.01)

CPC (source: EP US)
B60C 11/0302 (2013.01 - EP US); **B60C 11/0304** (2013.01 - US); **B60C 11/032** (2013.01 - US); **B60C 2011/0372** (2013.01 - EP US); **B60C 2011/0374** (2013.01 - EP US)

Cited by
FR3033142A1; US2022009292A1; FR3033144A1; CN107257745A; FR3033143A1; FR3033145A1; CN107257743A; US10919342B2; US11298980B2; WO2016134990A1; WO2016134988A1; WO2016134989A1; WO2016134991A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
EP 2769856 A1 20140827; **EP 2769856 B1 20181107**; CN 104002623 A 20140827; CN 104002623 B 20170908; JP 2014162352 A 20140908; JP 5890790 B2 20160322; US 2014238565 A1 20140828; US 9221303 B2 20151229

DOCDB simple family (application)
EP 14154977 A 20140213; CN 201410057910 A 20140220; JP 2013034936 A 20130225; US 201414176727 A 20140210