

Title (en)
PINCH GRIP TYPE BOTTLE-SHAPED CONTAINER

Title (de)
FLASCHENFÖRMIGER BEHÄLTER MIT PRESSGRIFF

Title (fr)
RÉCIPIENT EN FORME DE BOUTEILLE POUVANT ÊTRE EMPOIGNÉ

Publication
EP 2799354 A1 20141105 (EN)

Application
EP 12861621 A 20121210

Priority
• JP 2011285829 A 20111227
• JP 2011285952 A 20111227
• JP 2012081942 W 20121210

Abstract (en)
A subject of this invention is to create a bottle container of a pinch-grip type that is easy to get hold of the grip and steadier to hold the bottle than ever. This problem can be solved by a bottle container (1) of a pinch-grip type, which is a synthetic resin blow-molded product and which comprises a body (4) of a bottle container (1), and a grip (G) comprising a pair of right and left deep-recessed grip portions (12), which is formed by concaving both side wall portions (5) of the body (4) of the bottle container (1) toward each other, and a rear wall portion (6) of the body (4) disposed at a position rearward from the deep-recessed grip portions (12) in a front-back direction, wherein each of the deep-recessed grip portions (12) comprises a most recessed wall (12a) which is deeply caved in, vertical side walls (12b) disposed in positions facing each other across the most recessed wall (12a), and lateral walls (12c) disposed at upper and lower ends of the most recessed wall (12a), so that a surrounding wall (12A) as a whole is formed by these vertical walls (12b) and lateral walls (12c) that surround the most recessed wall (12a), and wherein the vertical side walls (12b) have an angle of gradient (\pm) which is set at an approximately right angle relative to a transverse center line (TCL) extending horizontally, i.e., in the front-back direction, and passing through a central axis (O) of the bottle container (1).

IPC 8 full level
B65D 1/02 (2006.01); **B29C 49/48** (2006.01); **B65D 1/00** (2006.01); **B29C 48/18** (2019.01)

CPC (source: EP US)
B29C 49/48 (2013.01 - EP US); **B29C 49/4802** (2013.01 - US); **B29C 49/4815** (2013.01 - US); **B65D 1/0223** (2013.01 - EP US); **B65D 1/0246** (2013.01 - US); **B65D 1/44** (2013.01 - US); **B65D 23/102** (2013.01 - EP US); **B65D 25/2897** (2013.01 - US); **B29C 48/18** (2019.01 - EP US); **B29C 2049/4807** (2013.01 - EP US); **B29C 2049/4892** (2013.01 - EP US); **B29K 2995/0074** (2013.01 - EP US); **B29L 2031/463** (2013.01 - EP US); **B29L 2031/7158** (2013.01 - EP US)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
EP 2799354 A1 20141105; **EP 2799354 A4 20150812**; **EP 2799354 B1 20170705**; AU 2012359476 A1 20140724; AU 2012359476 B2 20160929; CA 2861751 A1 20130704; CA 2861751 C 20190625; CA 3039284 A1 20130704; CA 3039284 C 20221101; CN 104066650 A 20140924; CN 104066650 B 20170405; EP 3112280 A1 20170104; EP 3112280 B1 20181024; KR 102005596 B1 20190730; KR 20140110003 A 20140916; US 2014374427 A1 20141225; US 2016001490 A1 20160107; US 9789642 B2 20171017; US 9944010 B2 20180417; WO 2013099573 A1 20130704

DOCDB simple family (application)
EP 12861621 A 20121210; AU 2012359476 A 20121210; CA 2861751 A 20121210; CA 3039284 A 20121210; CN 201280064244 A 20121210; EP 16001529 A 20121210; JP 2012081942 W 20121210; KR 20147020734 A 20121210; US 201214369431 A 20121210; US 201514853421 A 20150914