

Title (en)  
METHOD FOR PRODUCING A COMPOSITE BODY HAVING A SINTERED JOINING LAYER AND SINTERING DEVICE FOR PRODUCING SUCH A COMPOSITE BODY

Title (de)  
VERFAHREN ZUR HERSTELLUNG EINES VERBUNDKÖRPERS MIT GESINTERTER FÜGESCHICHT UND SINTERVORRICHTUNG ZUR HERSTELLUNG EINES DERARTIGEN VERBUNDKÖRPERS

Title (fr)  
PROCÉDÉ DE FABRICATION D'UN ÉLÉMENT COMPOSITE COMPRENANT UNE COUCHE DE JONCTION FRITÉE ET DISPOSITIF DE FRITTAGE POUR FABRIQUER UN TEL ÉLÉMENT COMPOSITE

Publication  
**EP 2801106 A1 20141112 (DE)**

Application  
**EP 12816024 A 20121211**

Priority  
• DE 102012200034 A 20120103  
• EP 2012075048 W 20121211

Abstract (en)  
[origin: WO2013102534A1] The invention relates to a method for producing a composite body (10), in particular a composite body (10) for constructing an electronic component, which, in a completed state, comprises at least two partial bodies (12, 14) that are firmly bonded to each other, wherein the firm bond is produced by at least one joining layer (18) that is arranged in a joining direction (16) between the partial bodies (12, 14) and formed from a sintered material, characterized by the following steps: a) creating an assembly of the at least two partial bodies (12, 14) and the at least one unsintered joining layer (18) arranged in the joining direction (16) between the at least two partial bodies (12, 14) into an assembled composite body (10); b) placing the assembled composite body (10) in a first partial chamber (36) of a sintering chamber (22) that can be sealed substantially gas-tight, has chamber walls (26), and has a substantially gas-impermeable chamber divider (32) that divides the sintering chamber (22) into the first partial chamber (36) and at least one second partial chamber (38) in the direct vicinity of the chamber divider (32), wherein the chamber divider (32) has at least one deformable partial element (34) having a position that is modifiable relative to the chamber walls (26); c) producing a positive chamber pressure difference between the second partial chamber (38) and the first partial chamber (36); and d) heating the arranged composite body (10) at least to a temperature predetermined as a sintering temperature. The invention further relates to a sintering device for producing such a composite body (10).

IPC 8 full level  
**H01L 21/60** (2006.01); **B30B 5/02** (2006.01)

CPC (source: EP)  
**B30B 5/02** (2013.01); **H01L 24/75** (2013.01); **H01L 24/83** (2013.01); **H01L 2221/68322** (2013.01); **H01L 2224/29339** (2013.01); **H01L 2224/32225** (2013.01); **H01L 2224/7525** (2013.01); **H01L 2224/75315** (2013.01); **H01L 2224/75317** (2013.01); **H01L 2224/755** (2013.01); **H01L 2224/7598** (2013.01); **H01L 2224/83005** (2013.01); **H01L 2224/83209** (2013.01); **H01L 2224/8384** (2013.01); **H01L 2924/10253** (2013.01); **H01L 2924/1305** (2013.01); **H01L 2924/13055** (2013.01); **H01L 2924/15787** (2013.01)

C-Set (source: EP)  
1. **H01L 2924/15787 + H01L 2924/04642**  
2. **H01L 2924/1305 + H01L 2924/00**  
3. **H01L 2224/7525 + H01L 2924/00014**  
4. **H01L 2224/755 + H01L 2924/00014**  
5. **H01L 2224/8384 + H01L 2924/20104**  
6. **H01L 2224/8384 + H01L 2924/20105**  
7. **H01L 2224/8384 + H01L 2924/20106**  
8. **H01L 2224/8384 + H01L 2924/20107**  
9. **H01L 2224/8384 + H01L 2924/20108**  
10. **H01L 2924/13055 + H01L 2924/00**

Citation (search report)  
See references of WO 2013102534A1

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)  
**DE 102012200034 A1 20130704**; EP 2801106 A1 20141112; WO 2013102534 A1 20130711

DOCDB simple family (application)  
**DE 102012200034 A 20120103**; EP 12816024 A 20121211; EP 2012075048 W 20121211