

Title (en)
REFRIGERATION DEVICE

Title (de)
KÜHLVORRICHTUNG

Title (fr)
DISPOSITIF FRIGORIFIQUE

Publication
EP 2806233 A4 20160413 (EN)

Application
EP 12862685 A 20121226

Priority
• JP 2011290079 A 20111228
• JP 2012083565 W 20121226

Abstract (en)
[origin: EP2806233A1] The purpose of the present invention is to carry out superheat control in appropriate fashion, in a refrigeration apparatus that is susceptible to the refrigerant reaching a supercooled state short of the evaporator. During cooling, an indoor expansion valve (41) of the refrigeration apparatus (10) controls expansion of cooling inflowing to an indoor heat exchanger (42), doing so on the basis of a low-pressure target value, and a superheat target value for the outflow side of the indoor heat exchanger (42). A supercooled state of the refrigerant at the inflow side of the indoor heat exchanger (42) is detected by an indoor liquid line temperature sensor (44) and an intake pressure sensor (33). An indoor control apparatus (47), in the case of having determined, on the basis of detection results from the indoor liquid line temperature sensor (44) and the intake pressure sensor (33), that the refrigerant at the inflow side of the indoor heat exchanger (42) is in a supercooled state, makes a settings change to raise the superheat target value from a first superheat target value Tsh1 to a second superheat target value Tsh2.

IPC 8 full level
F25B 1/00 (2006.01); **F24F 11/02** (2006.01); **F25B 49/02** (2006.01); **F25B 13/00** (2006.01)

CPC (source: EP KR US)
F25B 1/00 (2013.01 - KR); **F25B 1/005** (2013.01 - US); **F25B 39/028** (2013.01 - US); **F25B 49/02** (2013.01 - EP US); **F25B 49/022** (2013.01 - US); **F25B 13/00** (2013.01 - EP US); **F25B 2313/0233** (2013.01 - EP US); **F25B 2600/027** (2013.01 - EP US); **F25B 2600/2509** (2013.01 - EP US); **F25B 2600/2513** (2013.01 - EP US); **F25B 2700/1933** (2013.01 - EP US); **F25B 2700/2104** (2013.01 - EP US); **F25B 2700/2106** (2013.01 - EP US); **F25B 2700/21163** (2013.01 - EP US); **F25B 2700/21174** (2013.01 - EP US); **F25B 2700/21175** (2013.01 - EP US)

Citation (search report)
• [XY] EP 2314953 A1 20110427 - MITSUBISHI ELECTRIC CORP [JP]
• [X] US 2008190130 A1 20080814 - MURAKAMI TOSHIO [BR], et al
• [X] EP 2314958 A1 20110427 - DAIKIN IND LTD [JP]
• [IY] WO 2009103472 A1 20090827 - CARRIER CORP [US], et al
• [X] EP 1970653 A1 20080917 - DAIKIN IND LTD [JP]
• [X] US 2007017240 A1 20070125 - SHAPIRO DORON [US]
• [X] US 2006112702 A1 20060601 - MARTIN GEORGE [US], et al
• See references of WO 2013099898A1

Cited by
EP3196569A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
EP 2806233 A1 20141126; EP 2806233 A4 20160413; EP 2806233 B1 20210310; AU 2012361734 A1 20140807; AU 2012361734 B2 20160204; AU 2016202855 A1 20160526; AU 2016202855 B2 20171026; BR 112014015866 A2 20170613; BR 112014015866 A8 20170704; CN 104024764 A 20140903; CN 104024764 B 20150520; ES 2861271 T3 20211006; JP 2013139924 A 20130718; JP 5447499 B2 20140319; KR 101479458 B1 20150105; KR 20140103352 A 20140826; US 2014373564 A1 20141225; WO 2013099898 A1 20130704

DOCDB simple family (application)
EP 12862685 A 20121226; AU 2012361734 A 20121226; AU 2016202855 A 20160504; BR 112014015866 A 20121226; CN 201280064456 A 20121226; ES 12862685 T 20121226; JP 2011290079 A 20111228; JP 2012083565 W 20121226; KR 20147020685 A 20121226; US 201214368704 A 20121226