

Title (en)

METHOD FOR PRODUCING A STRANDED INNER CONDUCTOR FOR COAXIAL CABLE, AND COAXIAL CABLE

Title (de)

VERFAHREN ZUR HERSTELLUNG EINES LITZENINNENLEITERS FÜR KOAXIALKABEL, SOWIE KOAXIALKABEL

Title (fr)

PROCÉDÉ DE FABRICATION D'UN CONDUCTEUR INTÉRIEUR MULTIBRINS POUR CÂBLE COAXIAL, AINSI QUE CÂBLE COAXIAL

Publication

**EP 2823493 B1 20160803 (DE)**

Application

**EP 13707149 A 20130226**

Priority

- CH 2832012 A 20120305
- EP 2013053809 W 20130226

Abstract (en)

[origin: WO2013131779A1] The invention relates to a method for producing a stranded inner conductor (1), and to a coaxial cable (9). In a first step, a stranded inner conductor (2) is provided, which consists of several wires (3) twisted together. Then the stranded inner conductor (1) is rotary swaged by means of a rotary swaging device (10). In a further step, the rotary swaged stranded inner conductor (3) is enclosed with a dielectric (4). In a further step, the dielectric (4) is enclosed with an outer conductor (5) and a cable sheath (6).

IPC 8 full level

**H01B 13/016** (2006.01)

CPC (source: EP US)

**D07B 7/027** (2013.01 - EP US); **H01B 7/303** (2013.01 - US); **H01B 11/1808** (2013.01 - US); **H01B 11/1895** (2013.01 - US); **H01B 13/0006** (2013.01 - EP US); **H01B 13/0162** (2013.01 - EP US); **Y10T 29/49123** (2015.01 - EP US); **Y10T 29/532** (2015.01 - EP US)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**WO 2013131779 A1 20130912**; CH 706228 A2 20130913; CN 104205251 A 20141210; CN 104205251 B 20180102; EP 2823493 A1 20150114; EP 2823493 B1 20160803; ES 2601654 T3 20170215; JP 2015516644 A 20150611; JP 6195385 B2 20170913; US 10056172 B2 20180821; US 2015096781 A1 20150409

DOCDB simple family (application)

**EP 2013053809 W 20130226**; CH 2832012 A 20120305; CN 201380012428 A 20130226; EP 13707149 A 20130226; ES 13707149 T 20130226; JP 2014560306 A 20130226; US 201314382453 A 20130226