

Title (en)

MOUNTING SYSTEM, ESPECIALLY TO BE MOUNTED ON A WALL, METHOD FOR MOUNTING A MOUNTING SYSTEM, AND METHOD FOR RETROFITTING A SOCKET FASTENING ELEMENT

Title (de)

MONTAGESYSTEM, INSBESONDERE ZUR MONTAGE AN EINER WAND, VERFAHREN ZUR MONTAGE EINES MONTAGESYSTEMS UND VERFAHREN ZUR NACHRÜSTUNG EINES STECKDOSEN-BEFESTIGUNGSELEMENTS

Title (fr)

SYSTÈME DE MONTAGE, NOTAMMENT POUR LE MONTAGE SUR UN MUR, PROCÉDÉ DE MONTAGE D'UN SYSTÈME DE MONTAGE ET PROCÉDÉ D'ÉQUIPEMENT ULTRÉIEUR D'UN ÉLÉMENT DE FIXATION POUR PRISE DE COURANT

Publication

EP 2834894 A1 20150211 (DE)

Application

EP 13712196 A 20130320

Priority

- DE 102012006917 A 20120405
- EP 2013055849 W 20130320

Abstract (en)

[origin: WO2013149837A1] Disclosed is a mounting system, especially to be mounted on a wall, comprising a structural element (10) for receiving a longitudinally extending socket fastening element. Said structural element has a contact surface (20) on the rear to mount the structural element and extends longitudinally along a direction of installation (21) running parallel to the contact surface. The structural element further has a reception zone (30) for receiving the socket fastening element, said reception zone also running parallel to the direction of installation and being arranged in a central region of the structural element, along a transverse direction (22) that runs parallel to the contact surface and perpendicular to the direction of installation. The dimension of the reception zone in the transverse direction is adapted to a given mounting width of the socket fastening element perpendicular to the longitudinal extension of the socket fastening element. The structural element also has a first protrusion zone (41) and a second protrusion zone (42), both of which extend along the direction of installation. The first protrusion zone protrudes from the reception zone in the transverse direction and parallel to the contact surface on a first side, while the second protrusion zone protrudes from the reception zone in the transverse direction and parallel to the contact surface on a second side. The mounting system includes at least a first covering element (61) and a second covering element (62), the first covering element being designed to cover the first protrusion zone and the second covering element being designed to cover the second protrusion zone.

IPC 8 full level

H02G 3/04 (2006.01); **H02G 3/12** (2006.01)

CPC (source: EP)

H02G 3/0418 (2013.01); **H02G 3/0431** (2013.01); **H02G 3/105** (2013.01); **H02G 3/0437** (2013.01); **H02G 3/128** (2013.01); **H02G 3/34** (2013.01)

Citation (search report)

See references of WO 2013149837A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

DE 102012006917 A1 20131010; EP 2834894 A1 20150211; WO 2013149837 A1 20131010

DOCDB simple family (application)

DE 102012006917 A 20120405; EP 13712196 A 20130320; EP 2013055849 W 20130320