

Title (en)
APPARATUS AND METHOD FOR POSITIONING A SEATED PATIENT

Title (de)
VORRICHTUNG UND VERFAHREN ZUR POSITIONIERUNG EINES SITZENDEN PATIENTEN

Title (fr)
APPAREIL ET PROCÉDÉ POUR POSITIONNER UN PATIENT ASSIS

Publication
EP 2836183 A1 20150218 (EN)

Application
EP 13721149 A 20130412

Priority
• US 201213445488 A 20120412
• US 201361794093 P 20130315
• US 2013036448 W 20130412

Abstract (en)
[origin: WO2013155461A1] An apparatus is configured for use with a chair having a supporting surface, and includes a cushioning member adapted to be placed above the supporting surface, a bottom sheet connected to the cushioning member and having an engagement surface opposite the cushioning member, a top sheet having a bottom surface positioned in confronting relation to the engagement surface and a top surface opposite the bottom surface, and a selective gliding assembly positioned between the top and bottom sheets. The top sheet has at least one end connected to the bottom sheet, and the top sheet further has a slip resistant material positioned on the top surface. The selective gliding assembly includes engagement members positioned on the engagement surface and on the bottom surface of the top sheet, and the engagement members engage each other to resist forward sliding of the top sheet and to permit rearward sliding of the top sheet.

IPC 8 full level
A61G 5/10 (2006.01); **A61G 7/10** (2006.01)

CPC (source: EP)
A61G 5/1043 (2013.01); **A61G 5/1045** (2016.10); **A61G 7/1026** (2013.01); **A61G 7/1023** (2013.01)

Citation (search report)
See references of WO 2013155461A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
WO 2013155461 A1 20131017; CA 2870094 A1 20131017; CA 2870094 C 20180313; EP 2836183 A1 20150218; EP 2836183 B1 20160608

DOCDB simple family (application)
US 2013036448 W 20130412; CA 2870094 A 20130412; EP 13721149 A 20130412