

Title (en)

Device for forging a hollow body from a pre-perforated hollow block

Title (de)

Vorrichtung zum Schmieden eines Hohlkörpers aus einem vorgelochten Hohlblöck

Title (fr)

Dispositif destiné au forgeage d'un bloc creux pré-percé

Publication

**EP 2853319 A1 20150401 (DE)**

Application

**EP 14183028 A 20140901**

Priority

AT 506172013 A 20130925

Abstract (en)

[origin: US2015082846A1] An apparatus for forging a hollow body from a pre-perforated hollow block includes forging tools that can be driven radially in relation to a forging axis, a clamping head which is displaceable on a guide bed in the direction of the forging axis and includes collet chucks for the hollow block, and a mandrel carriage which is arranged on the side of the clamping head facing away from forging tools, which is displaceable independently of the clamping head along the guide bed, and whose mandrel bar provided with the forging mandrel penetrates the clamping head coaxially to the forging axis. In order to provide advantageous constructional conditions the mandrel carriage includes an axial actuating drive for the mandrel bar and can be coupled in a tension-proof manner to the clamping head.

Abstract (de)

Es wird eine Vorrichtung zum Schmieden eines Hohlkörpers (18) aus einem vorgelochten Hohlblöck (1) mit radial zu einer Schmiedeachse antreibbaren Schmiedewerkzeugen (2), mit einem auf einem Führungsbett (5) in Richtung der Schmiedeachse verfahrbaren, Spannzangen (16) für den Hohlblöck (1) aufweisenden Spannkopf (3) und mit einem auf der von den Schmiedewerkzeugen (2) abgewandten Seite des Spannkopfs (3) angeordneten, unabhängig von diesem entlang des Führungsbetts (5) verfahrbaren Dornschlitten (4) beschrieben, dessen mit einem Schmiededorf (13) versehene Dornstange (12) den Spannkopf (3) koaxial zur Schmiedeachse durchsetzt. Um vorteilhafte Konstruktionsbedingungen zu schaffen, wird vorgeschlagen, dass der Dornschlitten (4) einen axialen Stelltrieb (10) für die Dornstange (12) aufweist und zugfest mit dem Spannkopf (3) kuppelbar ist.

IPC 8 full level

**B21J 7/18** (2006.01); **B21J 7/16** (2006.01); **B21J 13/08** (2006.01)

CPC (source: AT EP US)

**B21B 25/02** (2013.01 - US); **B21D 37/00** (2013.01 - US); **B21J 13/08** (2013.01 - AT); **B21J 13/085** (2013.01 - EP US);  
**B21J 7/14** (2013.01 - EP US); **B21J 13/10** (2013.01 - EP US)

Citation (applicant)

- EP 2218526 B1 20120208 - SMS MEER GMBH [DE]
- DE 19523280 C2 20021205 - GFM GMBH STEYR [AT]
- DE 102010014583 A1 20111013 - FELSS GMBH [DE]

Citation (search report)

- [XY] DE 553623 C 19331106 - WITKOWITZER BERGB GEWERKSCHAFT, et al
- [XD] DE 102010014583 A1 20111013 - FELSS GMBH [DE]
- [X] DE 2636636 A1 19780223 - FRITZ WERNER IND AUSRUESTUNG
- [Y] WO 2012030244 A2 20120308 - MB TELECOM LTD [RO], et al

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

**EP 2853319 A1 20150401; EP 2853319 B1 20170222; AT 514894 A1 20150415; AT 514894 B1 20160415; US 2015082846 A1 20150326;**  
US 9862012 B2 20180109

DOCDB simple family (application)

**EP 14183028 A 20140901; AT 506172013 A 20130925; US 201414494736 A 20140924**