

Title (en)
PRINTER HAVING A SEPARATING DEVICE

Title (de)
DRUCKER MIT EINER VEREINZELUNGSVORRICHTUNG

Title (fr)
IMPRIMANTE DOTÉ D'UN DISPOSITIF DE SÉPARATION

Publication
EP 2855311 A1 20150408 (DE)

Application
EP 13721971 A 20130513

Priority
• DE 202012101998 U 20120531
• EP 2013059794 W 20130513

Abstract (en)
[origin: WO2013178455A1] The invention relates to a printer (100) for a plate-like printing medium (101), in particular a card or label for labeling electrical devices, connectors, cables, or the like, which are stacked in a stack (102), comprising a separating device (103; 1) for separating a printing medium (101) from the stack (102) and a printing device (104), which is characterized in that the separating device (103) has a driving element (1) having at least one base component (2; 30), which is provided with at least one guiding curve (40, 50; 301, 302) for a stop means (10, 11; 36) for the motion of the base component (2; 30) between a start position and an end position, the stop means (10, 11; 36) being guided along the guiding curve (40, 50; 301, 302) by means of a joint construction. The stop means, which is guided along the guiding curve and connected to the base component, ensures that the base component, which is designed in particular as a plate, can be exactly positioned both in the start position and in the end position. High noise generation is avoided, because the pivotable stop means permanently lies against the moving base component, follows the motion of the base component, and runs into a dead point without the base component hitting another component.

IPC 8 full level
B65H 3/24 (2006.01); **B65H 3/34** (2006.01)

CPC (source: EP US)
B41J 13/0045 (2013.01 - US); **B65H 1/06** (2013.01 - US); **B65H 3/042** (2013.01 - US); **B65H 3/24** (2013.01 - EP US); **B65H 3/34** (2013.01 - EP US); **B65H 5/021** (2013.01 - US); **B65H 9/06** (2013.01 - US); **B65H 2403/5331** (2013.01 - EP US); **B65H 2701/1914** (2013.01 - EP US)

Citation (search report)
See references of WO 2013178455A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
DE 202012101998 U1 20130902; CN 104379476 A 20150225; CN 104379476 B 20180928; EP 2855311 A1 20150408; EP 2855311 B1 20200729; ES 2822585 T3 20210504; PL 2855311 T3 20210308; PT 2855311 T 20200922; US 2015217582 A1 20150806; US 9421797 B2 20160823; WO 2013178455 A1 20131205

DOCDB simple family (application)
DE 202012101998 U 20120531; CN 201380028893 A 20130513; EP 13721971 A 20130513; EP 2013059794 W 20130513; ES 13721971 T 20130513; PL 13721971 T 20130513; PT 13721971 T 20130513; US 201314403083 A 20130513