

Title (en)
REMOTELY READABLE VALVE POSITION INDICATORS

Title (de)
ENTFERNT LESBARE VENTILPOSITIONSANZEIGEN

Title (fr)
INDICATEURS DE POSITION DE VANNE LISIBLES À DISTANCE

Publication
EP 2893233 A1 20150715 (EN)

Application
EP 13763387 A 20130904

Priority
• US 201213604326 A 20120905
• US 2013057906 W 20130904

Abstract (en)
[origin: WO2014039465A1] Remotely readable valve position indicators and related methods are described. An example apparatus in accordance with the teachings of this disclosure includes a valve body, a valve stem and a fluid flow control apparatus coupled to the valve stem. The fluid flow control apparatus is longitudinally displaceable between a first position and a second position to control fluid flow through a flow aperture of the valve body. The apparatus also includes a valve position indicator including an identifier device coupled to the valve stem. In the first position, the wireless identifier device associated with a first value indicative of the first position of the fluid flow control apparatus. In the second position, the wireless identifier device associated with a second value indicative of the second position of the fluid flow control apparatus.

IPC 8 full level
F16K 37/00 (2006.01)

CPC (source: CN EP)
F16K 37/0041 (2013.01 - CN EP)

Citation (search report)
See references of WO 2014039465A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
WO 2014039465 A1 20140313; BR 112015004773 A2 20170704; CA 2882764 A1 20140313; CN 103672146 A 20140326; CN 203670999 U 20140625; EP 2893233 A1 20150715; JP 2015527553 A 20150917; MX 2015002977 A 20150602

DOCDB simple family (application)
US 2013057906 W 20130904; BR 112015004773 A 20130904; CA 2882764 A 20130904; CN 201310491355 A 20130902; CN 201320644573 U 20130902; EP 13763387 A 20130904; JP 2015531152 A 20130904; MX 2015002977 A 20130904