

## Title (en)

CATALYST FOR EXHAUST GAS PURIFICATION, AND METHOD FOR PRODUCING SAME

## Title (de)

KATALYSATOR ZUR ABGASREINIGUNG UND VERFAHREN ZUR HERSTELLUNG DAVON

## Title (fr)

CATALYSEUR POUR LA PURIFICATION D'UN GAZ D'ÉCHAPPEMENT, ET SON PROCÉDÉ DE PRODUCTION

## Publication

**EP 2896455 A4 20150923 (EN)**

## Application

**EP 13837394 A 20130906**

## Priority

- JP 2012200629 A 20120912
- JP 2013074138 W 20130906

## Abstract (en)

[origin: EP2896455A1] To provide an exhaust gas catalyst using a fired aluminum phosphate body with more excellent performance, and a method for producing it. (1) An exhaust gas purification catalyst comprising at least one platinum-group metal selected from the group consisting of Pt, Rh and Pd having a mean particle diameter of between 0.50 nm and 2.0 nm, supported on a tridymite-type fired aluminum phosphate body. (2) A method for producing an exhaust gas purification catalyst, comprising the steps of: firing aluminum phosphate obtained from an aqueous solution prepared to a pH of 3.5 to 4.5, at a temperature of between 1000°C and 1200°C for 2 hours or longer, to obtain a fired aluminum phosphate body, and supporting at least one type of platinum-group metal selected from the group consisting of Pt, Rh and Pd on the fired aluminum phosphate body.

## IPC 8 full level

**B01J 27/185** (2006.01); **B01D 53/94** (2006.01); **B01J 23/42** (2006.01); **B01J 23/46** (2006.01); **B01J 32/00** (2006.01); **B01J 35/00** (2024.01); **B01J 37/08** (2006.01)

## CPC (source: EP US)

**B01D 53/94** (2013.01 - US); **B01D 53/945** (2013.01 - EP US); **B01J 23/40** (2013.01 - EP US); **B01J 23/42** (2013.01 - EP US); **B01J 23/44** (2013.01 - EP US); **B01J 23/464** (2013.01 - EP US); **B01J 27/16** (2013.01 - EP US); **B01J 27/1856** (2013.01 - EP US); **B01J 29/83** (2013.01 - EP US); **B01J 35/19** (2024.01 - US); **B01J 35/30** (2024.01 - EP US); **B01J 35/393** (2024.01 - EP US); **B01J 35/394** (2024.01 - US); **B01J 35/40** (2024.01 - EP US); **B01J 37/0063** (2013.01 - EP US); **B01J 37/0201** (2013.01 - EP US); **B01J 37/0211** (2013.01 - EP US); **B01J 37/08** (2013.01 - EP US); **B01D 2255/1023** (2013.01 - EP US); **B01D 2255/2092** (2013.01 - EP US); **B01D 2255/9202** (2013.01 - EP US); **Y02T 10/12** (2013.01 - EP US)

## Citation (search report)

- [XYI] JP 2009018287 A 20090129 - MITSUBISHI CHEM CORP
- [XYI] MASATO MACHIDA ET AL: "AIPO 4 as a Support Capable of Minimizing Threshold Loading of Rh in Automotive Catalysts", CHEMISTRY OF MATERIALS, vol. 21, no. 9, 12 May 2009 (2009-05-12), pages 1796 - 1798, XP055147481, ISSN: 0897-4756, DOI: 10.1021/cm9005844
- See also references of WO 2014042099A1

## Cited by

US9498771B2; EP2799133A4

## Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

## Designated extension state (EPC)

BA ME

## DOCDB simple family (publication)

**EP 2896455 A1 20150722**; **EP 2896455 A4 20150923**; CN 104619415 A 20150513; JP 2014054597 A 20140327; JP 5831409 B2 20151209; US 2015217280 A1 20150806; US 9498771 B2 20161122; WO 2014042099 A1 20140320

## DOCDB simple family (application)

**EP 13837394 A 20130906**; CN 201380047426 A 20130906; JP 2012200629 A 20120912; JP 2013074138 W 20130906; US 201314421061 A 20130906